

ZOEKSTRATEGIE NHG-RICHTLIJN KINDEREN MET KOORTS (M29)

Het aantal gevonden artikelen per uitgangsvraag staat vermeld tussen vierkante haken.

Relevante artikelen die verschenen na de oriënterende en specifieke searches zijn in voorkomende gevallen uiteraard ook meegenomen. Nieuwe artikelen werden getraceerd door middel van een 'eindsearch' voorafgaand aan het interne overleg over de concept-standaard. Het selectie- en beoordelingsproces bij de nieuw gevonden artikelen was hetzelfde als bij de initieel gevonden artikelen.

Oriënterende searches, juli 2014

OS1 Richtlijnen

("Fever"[Mesh] OR fever*[tiab] OR febrile[tiab]) AND ("Child"[majr] OR "Child, Preschool"[majr] OR "Infant"[majr] OR child[tiab] OR children[tiab] OR infant[tiab] OR infants[tiab]) AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti]))

OS2 Eerstelijns

("Fever"[Mesh] OR fever*[tiab] OR febrile[tiab]) AND ("Child"[majr] OR "Child, Preschool"[majr] OR "Infant"[majr] OR child[tiab] OR children[tiab] OR infant[tiab] OR infants[tiab]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

OS3 Etniciteit

("Fever"[Mesh] OR fever*[tiab] OR febrile[tiab]) AND ("Child"[majr] OR "Child, Preschool"[majr] OR "Infant"[majr] OR child[tiab] OR children[tiab] OR infant[tiab] OR infants[tiab]) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR emigration and immigration[mh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti])

Specifieke searches, augustus 2014 – april 2015

Vrg1 Temperatuurmeting [71]

("Fever"[Mesh] OR fever*[tiab] OR febrile[tiab]) AND ("Child"[majr] OR "Child, Preschool"[majr] OR "Infant"[majr] OR child[tiab] OR children[tiab] OR infant[tiab] OR infants[tiab]) AND (thermometry[tiab] OR thermometer*[tiab] OR temperature[ti] OR ear[ti] OR tympanic[tiab]) AND (accuracy[tiab] OR accurate*[tiab] OR effectiveness[tiab] OR efficacy[tiab] OR random*[tiab] OR meta-anal*[tiab] OR systematic[sb])

Vrg2A Infectie [196]

("Fever"[Mesh] OR fever*[tiab] OR febrile[tiab]) AND ("Child"[majr] OR "Child, Preschool"[majr] OR "Infant"[majr] OR child[tiab] OR children[tiab] OR infant[tiab] OR infants[tiab]) AND (medical history taking[mh] OR medical history[tiab] OR signs and symptoms[mh] OR signs[tiab] OR alarm

symptom*[tiab]) AND (risk assessment[mh] OR risk factors[mh]) AND (infection[tiab] OR infections[tiab])

Vrg2B Infectieuze aandoeningen [44]

("Fever"[Mesh] OR fever*[tiab] OR febrile[tiab]) AND ("Child"[majr] OR "Child, Preschool"[majr] OR "Infant"[majr] OR child[tiab] OR children[tiab] OR infant[tiab] OR infants[tiab]) AND (medical history taking[mh] OR medical history[tiab] OR signs and symptoms[mh] OR signs[tiab] OR symptom*[tiab]) AND (risk assessment[mh] OR risk factors[mh]) AND (infectious[tiab] OR contagious[tiab])

Vrg2C Predictiemodellen [25]

("Fever"[Mesh] OR fever*[tiab] OR febrile[tiab]) AND ("Child"[majr] OR "Child, Preschool"[majr] OR "Infant"[majr] OR child[tiab] OR children[tiab] OR infant[tiab] OR infants[tiab]) AND (medical history taking[mh] OR medical history[tiab] OR signs and symptoms[mh] OR signs[tiab] OR symptom*[tiab]) AND (prediction model*[tiab] OR prediction rule*[tiab] OR decision support techniques[mh]) AND (infection[tiab] OR infections[tiab] OR infectious[tiab] OR contagious[tiab])

Vrg3A Diagnostische waarde breed [154]

("Fever"[Mesh] OR fever*[tiab] OR febrile[tiab]) AND ("Child"[majr] OR "Child, Preschool"[majr] OR "Infant"[majr] OR child[tiab] OR children[tiab] OR infant[tiab] OR infants[tiab]) AND (predictive value[tiab] OR diagnostic value[tiab] OR predictive value of tests[mh]) AND (laboratory[tw] OR CRP[tiab] OR C-reactive protein[tiab] OR leucocyte*[tiab] OR biomarker*[tiab] OR urine[tiab] OR X-ray[tiab] OR tomography, X-ray computed[mh])

Vrg3B Diagnostische waarde vergelijkend [48]

("Fever"[Mesh] OR fever*[tiab] OR febrile[tiab]) AND ("Child"[majr] OR "Child, Preschool"[majr] OR "Infant"[majr] OR child[tiab] OR children[tiab] OR infant[tiab] OR infants[tiab]) AND (predictive value[tiab] OR diagnostic value[tiab] OR predictive value of tests[mh]) AND (laboratory[tw] OR CRP[tiab] OR C-reactive protein[tiab] OR leucocyte*[tiab] OR biomarker*[tiab] OR urine[tiab] OR X-ray[tiab] OR tomography, X-ray computed[mh]) AND (comparison[tiab] OR comparative study[pt] OR comparative study[tiab] OR effectiveness[tiab] OR efficacy[tiab] OR random*[tiab] OR meta-anal*[tiab] OR systematic[sb])

Vrg4 Informatieverstrekking [63]

("Fever"[Mesh] OR fever*[tiab] OR febrile[tiab]) AND ("Child"[majr] OR "Child, Preschool"[majr] OR "Infant"[majr] OR child[tiab] OR children[tiab] OR infant[tiab] OR infants[tiab]) AND (parent*[tiab] OR carer*[tiab] OR parents[majr] OR caregivers[majr]) AND (information[tiab] OR advice[tiab] OR instruction*[tiab] OR communication[tiab] OR consumer health information[mh] OR professional-family relations[mh]) AND (perceiv*[tiab] OR understand*[tiab] OR perception[tiab] OR presenting[tiab] OR presentation[tiab] OR comprehen*[tiab])

Vrg5 Paracetamol [69]

("Fever"[Mesh] OR fever*[tiab] OR febrile[tiab]) AND ("Child"[majr] OR "Child, Preschool"[majr] OR "Infant"[majr] OR child[tiab] OR children[tiab] OR infant[tiab] OR infants[tiab]) AND (paracetamol[tiab] OR acetaminophen[tiab] OR acetaminophen[majr]) AND (systematic[tiab] OR meta-anal*[tiab] OR randomized[tiab] OR randomised[tiab] OR placebo[mh] OR systematic review[tiab])

Eindsearch, november 2015 [308]

("Fever"[Mesh] OR fever*[tiab] OR febrile[tiab]) AND ("Child"[mh] OR "Child, Preschool"[mh] OR "Infant"[mh] OR child[tiab] OR children[tiab] OR infant[tiab] OR infants[tiab]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR meta-anal*[tiab] OR systematic[sb] OR systematic review[tiab] OR guideline[pt] OR practice guideline[pt] OR guideline*[tiab])