

ZOEKSTRATEGIE NHG-STANDAARD PROBLEMATISCH ALCOHOLGEBRUIK (M10)

[NB: het aantal gevonden titels staat tussen vierkante haken]

Oriënterende searches, december 2012

OS 1 SR's [253]

"Alcoholism"[Majr] AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR (quantitativ* AND review*[tw] OR systematic* AND review*[tw] OR methodologic* AND review*[tw])) OR (review[pt] AND (medline[tw] OR Cochrane[tw])) NOT (letter[pt] OR comment[pt] OR editorial[pt]))

OS 2 richtlijnen [71]

"Alcoholism"[majr] AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti])))

OS 3 eerstelijn [361]

"Alcoholism"[majr] AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw]))

OS 4 etniciteit [91]

"Alcoholism"[majr] AND ((ethnic groups[MeSH] OR minority groups[MeSH] OR Africa, northern[MeSH] OR Middle East[MeSH] OR West Indies[MeSH] OR Asia, southeastern[MeSH] OR Surinam*[tw] OR Antillean*[tw] OR Suriname/ethnology[MeSH] OR Netherlands Antilles/ethnology[MeSH] OR Turkey/ethnology[MeSH] OR Morocco/ethnology[MeSH] OR Asian Continental Ancestry Group[MeSH] OR African Continental Ancestry Group[mh]) AND (cross-cultural[tw] OR foreign-born[tw] OR cross-ethnic[tw] OR cultural diversity[MeSH] OR emigration and immigration[MeSH] OR immigrants[tw] OR comparative study[pt]))

OS 5 arbeid [40]

"Alcoholism"[majr] AND ("Sick Leave"[Mesh] OR "Rehabilitation, Vocational"[Mesh] OR "Occupational Health"[Mesh] OR "Absenteeism"[Mesh])

OS 6 onze tijdschriften [161]

"Alcoholism"[majr] AND (Ann Intern Med[Journal] OR Arch Intern Med[Journal] OR BMJ[Journal] OR Br J Gen Pract[Journal] OR Eur J Gen Pract[Journal] OR Fam Pract[Journal] OR J Fam Pract[Journal] OR JAMA[Journal] OR Lancet[Journal] OR N Engl J Med[Journal] OR Ned Tijdschr Geneeskde[Journal] OR Qual Saf Health Care[Journal] OR Scand J Prim Health Care[Journal])

OS 7 sekse [1263]

"Alcoholism"[majr] AND ("sex factors"[mh] OR gender*[tw] OR (boy*[ti] OR girl*[ti]) OR (women[ti] OR men[ti]) OR (male[ti] OR female[ti]))

OS 8 spoed [197]

"Alcoholism"[majr] AND ("emergency treatment"[mh] OR "emergency medical services"[mh] OR "first aid"[mh] OR "emergency service, hospital"[mh] OR triage[mh] OR "emergency room"[tw] OR ER[tw])

OS 9 patiëntenperspectief [55]

"Alcoholism"[majr] AND ("patient participation"[mh] OR "patient satisfaction"[mh] OR "patient preference"[mh] OR "patient perspective"[tw])

Specifieke searches, maart 2013

Vraag 1 innameniveau [153]

(alcohol drinking/adverse effects[majr] OR alcohol drinking/mortality[majr]) AND (survival rate[mh] OR cause of death[mh] OR prognosis[mh] OR disease prevention[tiab] OR disease outcome[tiab] OR disease outcomes[tiab]) AND (optimum[tiab] OR optimal[tiab] OR level*[tiab] OR unit[tiab] OR units[tiab] OR consumption[tiab])

Vraag 2 vragenlijsten volwassenen & eerstelijn [50]

("Alcohol-Related Disorders"[Majr] OR "Alcohol Drinking"[Majr]) AND "Questionnaires"[Mesh] AND (effect[tiab] OR effects[tiab] OR effective*[tiab] OR validated[tiab]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

Vraag 2 vragenlijsten volwassenen breed [1062]

("Alcohol-Related Disorders"[Majr] OR "Alcohol Drinking"[Majr]) AND "Questionnaires"[Mesh] AND (effect[tiab] OR effects[tiab] OR effective*[tiab] OR validated[tiab])

Vraag 3 klachten jongeren [214]

(Alcoholism/diagnosis[majr] OR alcohol problems[tiab] OR problem drinking[tiab] OR heavy drinking[tiab]) AND (signs and symptoms[mh] OR signs[tiab] OR symptoms[tiab])

Vraag 4 vragenlijsten jongeren & eerstelijn [15]

("Alcohol-Related Disorders"[Majr] OR "Alcohol Drinking"[Majr]) AND "Questionnaires"[Mesh] AND (effect[tiab] OR effects[tiab] OR effective*[tiab] OR validated[tiab]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

Vraag 4 vragenlijsten jongeren breed [536]

("Alcohol-Related Disorders"[Majr] OR "Alcohol Drinking"[Majr]) AND "Questionnaires"[Mesh] AND (effect[tiab] OR effects[tiab] OR effective*[tiab] OR validated[tiab])

Vraag 5 adviezen jongeren [138]

(alcohol drinking/psychology[mh] OR alcohol drinking/prevention and control[mh]) AND adolescent behavior/psychology[mh] AND (advice*[tiab] OR parenting[mh] OR motivation[mh] OR motivational[tiab] OR reduce[tiab] OR reducing[tiab] OR rules[tiab] OR intervention*[tiab])

Vraag 6 interventies eerstelijn [48]

(alcohol drinking/psychology[majr] OR alcohol drinking/prevention and control[majr] OR alcoholism/psychology[majr] OR alcoholism/prevention and control[majr] OR alcoholism/rehabilitation[majr]) AND (motivation[mh] OR motivational[tiab] OR motivational interviewing/methods[mh] OR counseling/methods[mh] OR patient education as topic/methods[mh] OR risk reduction behavior[mh]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

Vraag 6 interventies breed [185]

(alcohol drinking/psychology[majr] OR alcohol drinking/prevention and control[majr] OR alcoholism/psychology[majr] OR alcoholism/prevention and control[majr] OR alcoholism/rehabilitation[majr]) AND (motivation[mh] OR motivational[tiab] OR motivational interviewing/methods[mh] OR counseling/methods[mh] OR patient education as topic/methods[mh] OR risk reduction behavior[mh]) AND (effect[tiab] OR effects[tiab] OR effective*[tiab]) AND (random*[tiab] OR cochrane[tw] OR systematic[sb])

Vraag 7 internethulp [81]

("Therapy, Computer-Assisted"[Mesh] OR internet therapy[tiab] OR internet-based[tiab] OR computer-delivered[tiab] OR "Remote Consultation/methods"[Mesh]) AND ("Alcohol-Related Disorders/therapy"[Mesh] OR "Alcohol Drinking/therapy"[Mesh])

Vraag 8 drug therapy [118]

("Alcohol Deterrents/therapeutic use"[Mesh] OR "Alcohol Deterrents"[Pharmacological Action] OR narcotic antagonists/therapeutic use[mh] OR naltrexone/therapeutic use[mh]) AND "Alcohol-related disorders/drug therapy"[Mesh] AND (effect[tiab] OR effects[tiab] OR effective*[tiab]) AND (random*[tiab] OR cochrane[tw] OR systematic[sb])

Vraag 8 drug therapy beperkt tot terugval [37]

("Alcohol Deterrents/therapeutic use"[Mesh] OR "Alcohol Deterrents"[Pharmacological Action] OR narcotic antagonists/therapeutic use[mh] OR naltrexone/therapeutic use[mh]) AND "Alcohol-related disorders/drug therapy"[Mesh] AND (effect[tiab] OR effects[tiab] OR effective*[tiab]) AND (random*[tiab] OR cochrane[tw] OR systematic[sb]) AND (recur*[tiab] OR relaps*[tiab])

Specifieke searches, april – mei 2013

Vraag 1 innameniveau alleen titelwoorden sleutelpublicatie [29]

((average consumption[tiab] OR average level[tiab] OR optimal level[tiab]) AND alcohol consumption[tiab] AND (("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))) NOT ((alcohol drinking/adverse effects[majr] OR alcohol drinking/mortality[majr]) AND (survival rate[mh] OR cause of death[mh] OR prognosis[mh] OR disease prevention[tiab] OR disease outcome[tiab] OR disease outcomes[tiab])) AND (optimum[tiab] OR optimal[tiab] OR level*[tiab] OR unit[tiab] OR units[tiab] OR consumption[tiab]) AND (("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang])))

Vraag 1 innameniveau aangepast [35]

((alcohol drinking/adverse effects[majr] OR alcohol drinking/mortality[majr] OR alcoholism/mortality[majr]) AND (average volume[tiab] OR consumption level*[tiab] OR (survival rate[mh] OR cause of death[mh] OR prognosis[mh] OR disease prevention[tiab] OR disease

outcome[tiab] OR disease outcomes[tiab]) AND (optimum[tiab] OR optimal[tiab] OR unit[tiab] OR units[tiab] OR level*[tiab] OR consumption[tiab])) AND (("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))) NOT ((alcohol drinking/adverse effects[majr] OR alcohol drinking/mortality[majr]) AND (survival rate[mh] OR cause of death[mh] OR prognosis[mh] OR disease prevention[tiab] OR disease outcome[tiab] OR disease outcomes[tiab])) AND (optimum[tiab] OR optimal[tiab] OR level*[tiab] OR unit[tiab] OR units[tiab] OR consumption[tiab])) AND ((("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))))

Eindsearch, mei 2014 [362]

(alcohol drinking/adverse effects[majr] OR alcoholism[tiab] OR alcoholic*[ti] OR alcohol-related disorders[majr] OR fatty-liver disease[tiab]) AND (meta-anal*[tiab] OR systematic review[tiab] OR systematic[sb] OR randomized[tiab] OR randomised[tiab] OR placebo[mh]))