

## ZOEKSTRATEGIE NHG-STANDAARD PIJN (M106)

---

Het aantal gevonden artikelen per specifieke zoekvraag staat vermeld tussen vierkante haken.

Relevante artikelen die verschenen na de specifieke searches zijn in voorkomende gevallen uiteraard ook meegenomen. Nieuwe artikelen werden getraceerd door de searches te herhalen voorafgaand aan het interne overleg over de concept-standaard. Het selectie- en beoordelingsproces bij de nieuw gevonden artikelen was hetzelfde als bij de initieel gevonden artikelen.

---

### *Oriënterende searches, juli – augustus 2012*

#### OS 1 SR's

("Pain Management"[Majr] OR "Pain/prevention and control"[Majr] OR "Nociceptive Pain"[Majr] OR "Chronic Pain"[Majr] OR "Acute Pain"[Majr] OR "Neuralgia"[Majr] OR pain relief[tiab] OR pain control[tiab]) AND ((meta-analysis[pt] OR meta-anal\*[tw] OR metaanal\*[tw]) OR ("quantitative review"[tw] OR "systematic review"[tw] OR "methodologic review"[tw]) OR (review[pt] AND Cochrane[tw]) NOT (letter[pt] OR comment[pt] OR editorial[pt])) NOT (surgery OR post-operative OR postoperative OR colic)

#### OS 2 richtlijnen

("Pain Management"[Majr] OR "Pain/prevention and control"[Majr] OR "Nociceptive Pain"[Majr] OR "Chronic Pain"[Majr] OR "Acute Pain"[Majr] OR "Neuralgia"[Majr] OR pain relief[tiab] OR pain control[tiab]) AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti])) NOT (surgery OR post-operative OR postoperative OR colic)

#### OS 3 eerstelijns

("Pain Management"[Majr] OR "Pain/prevention and control"[Majr] OR "Nociceptive Pain"[Majr] OR "Chronic Pain"[Majr] OR "Acute Pain"[Majr] OR "Neuralgia"[Majr] OR pain relief[tiab] OR pain control[tiab]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw]) NOT (surgery OR post-operative OR postoperative OR colic)

#### OS 4 etniciteit

("Pain Management"[Majr] OR "Pain/prevention and control"[Majr] OR "Nociceptive Pain"[Majr] OR "Chronic Pain"[Majr] OR "Acute Pain"[Majr] OR "Neuralgia"[Majr] OR pain relief[tiab] OR pain control[tiab]) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti])

#### OS 6 sekseverschillen

("Pain Management"[Majr] OR "Pain/prevention and control"[Majr] OR "Nociceptive Pain"[Majr] OR "Chronic Pain"[Majr] OR "Acute Pain"[Majr] OR "Neuralgia"[Majr] OR pain relief[tiab] OR pain

control[tiab]) AND ("sex factors"[mh] OR gender\*[tw] OR (boy\*[ti] OR girl\*[ti]) OR (women[ti] OR men[ti]) OR (male[ti] OR female[ti]))

OS 7 spoed

("Pain Management"[Majr] OR "Pain/prevention and control"[Majr] OR "Nociceptive Pain"[Majr] OR "Chronic Pain"[Majr] OR "Acute Pain"[Majr] OR "Neuralgia"[Majr] OR pain relief[tiab] OR pain control[tiab]) AND ("emergency treatment"[mh] OR "emergency medical services"[mh] OR "first aid"[mh] OR "emergency service, hospital"[mh] OR triage[mh] OR "emergency room"[tw] OR ER[tw])

OS 8 patiëntenperspectief

("Pain Management"[Majr] OR "Pain/prevention and control"[Majr] OR "Nociceptive Pain"[Majr] OR "Chronic Pain"[Majr] OR "Acute Pain"[Majr] OR "Neuralgia"[Majr] OR pain relief[tiab] OR pain control[tiab]) AND ("patient participation"[mh] OR "patient satisfaction"[mh] OR "patient preference"[mh] OR "patient perspective"[tw])

*Specifieke zoekvragen, maart 2013 – april 2014*

Vrg 1a1 NSAID's totaal [2838]

(anti-inflammatory agents, non-steroidal[mh] OR naproxen[tw] OR diclofenac[tw] OR ibuprofen[tw]) AND (randomized controlled trial[pt] OR random\*[tiab] OR (double[tw] AND blind\*[tw]) OR placebo[mh] OR meta-anal\*[tiab] OR systematic review[tiab]) NOT (surgery[tw] OR surgical[tiab] OR postoperative[tiab] OR hospital\*[tiab]) AND (hasabstract[text] AND (English[lang] OR Dutch[lang])))

Vrg 1a2 NSAID's & RCT's [820]

(anti-inflammatory agents, non-steroidal[mh] OR naproxen[tw] OR diclofenac[tw] OR ibuprofen[tw]) AND (randomized controlled trial[pt] OR random\*[tiab] OR (double[tw] AND blind\*[tw]) OR placebo[mh] OR meta-anal\*[tiab] OR systematic review[tiab]) NOT (surgery[tw] OR surgical[tiab] OR postoperative[tiab] OR hospital\*[tiab]) AND (hasabstract[text] AND (English[lang] OR Dutch[lang])))

Vrg 1a3 NSAID's vergeleken [2141]

(anti-inflammatory agents, non-steroidal[mh] OR naproxen[tw] OR diclofenac[tw] OR ibuprofen[tw]) AND (randomized controlled trial[pt] OR random\*[tiab] OR (double[tw] AND blind\*[tw]) OR placebo[mh] OR meta-anal\*[tiab] OR systematic review[tiab]) AND (comparison[tiab] OR compared[tiab] OR comparative[tw] OR versus[tiab]) NOT (surgery[tw] OR surgical[tiab] OR postoperative[tiab] OR hospital\*[tiab]) AND (hasabstract[text] AND (English[lang] OR Dutch[lang])))

Vrg 1A rol angst beloop breed [501]

("Pain"[Majr] OR "Chronic Pain"[Majr] OR "Acute Pain"[Majr] OR "pain measurement"[majr]) AND (anxiety[tiab] OR depression[tiab]) AND (prognosis[mh] OR prognosis[tiab] OR course[tiab]) NOT (surgery[sh] OR surgery[mh] OR anesthesia[mh] OR anesthetics[mh] OR "administration and dosage"[sh] OR "drug therapy"[sh])

Vrg 1a rol angst beloop smal [97]

("Pain"[Majr] OR "Chronic Pain"[Majr] OR "Acute Pain"[Majr] OR "pain measurement"[majr]) AND (anxiety[tiab] OR depression[tiab]) AND course[tiab] NOT (surgery[sh] OR surgery[mh] OR anesthesia[mh] OR anesthetics[mh] OR "administration and dosage"[sh] OR "drug therapy"[sh])

Vrg1B rol angst behandeling breed [1035]

("Pain"[Majr] OR "Chronic Pain"[Majr] OR "Acute Pain"[Majr] OR "pain measurement"[majr]) AND (anxiety[tiab] OR depression[tiab]) AND ("administration and dosage"[sh] OR "drug therapy"[sh] OR "therapeutic use"[sh]) NOT (surgery[sh] OR surgery[mh] OR anesthesia[mh] OR anesthetics[mh])

Vrg 1b rol angst behandeling smal [66]

("Pain"[Majr] OR "Chronic Pain"[Majr] OR "Acute Pain"[Majr] OR "pain measurement"[majr]) AND (anxiety[tiab] OR depression[tiab]) AND ("administration and dosage"[sh] OR "drug therapy"[sh] OR "therapeutic use"[sh]) NOT (surgery[sh] OR surgery[mh] OR anesthesia[mh] OR anesthetics[mh]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

Vrg 2 pijnschalen [84]

("Pain/classification"[Majr] AND "Pain Measurement/methods"[Majr]) AND (valid\*[tiab] OR reliab\*[tiab] OR vignette\*[tiab] OR assessment[tiab] OR evaluat\*[tiab])

Vrg 3 voorlichting [205]

"Pain"[Majr] AND "patient education as topic"[majr] NOT (surgery[tw] OR postoperative[tiab])

Vrg 3 voorlichting & effectiviteit [136]

"Pain"[Majr] AND "patient education as topic"[majr] AND effect\*[tiab] NOT (surgery[tw] OR postoperative[tiab])

Vrg 4 fysiotherapie [764]

"Pain"[Majr] AND physical therapy modalities[majr] AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (random\*[tiab] OR placebo[mh]) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab])

Vrg 5 ontspanning [132]

"Pain"[Majr] AND mind-body therapies[mh] AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (random\*[tiab] OR placebo[mh]) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab])

Vrg 6 psychotherapie [153]

((("Psychotherapy"[Majr]) AND "Pain"[Majr] AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (random\*[tiab] OR placebo[mh]) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab]) AND (hasabstract[text] AND ("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))) NOT ("Pain"[Majr] AND mind-body therapies[mh] AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (random\*[tiab] OR placebo[mh]) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab]) AND (hasabstract[text] AND ("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))) NOT ("Pain"[Majr] AND physical therapy modalities[majr] AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND random\*[tiab] NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab]) AND (hasabstract[text] AND ("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang])))

Vrg 7A effect neuropatische pijnmiddelen [165]

"Neuralgia/drug therapy"[Mesh] AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (random\*[tiab] OR placebo[mh]) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab])

Vrg 7B bijwerkingen neuropatische pijnmiddelen [6]

("Neuralgia/drug therapy"[Mesh] AND (adverse effects[sh] OR side effects[tiab]) AND (random\*[tiab] OR placebo[mh]) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab]) AND (hasabstract[text] AND ("2006/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))) NOT ("Neuralgia/drug therapy"[Mesh] AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (random\*[tiab] OR placebo[mh]) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab]) AND (hasabstract[text] AND ("2006/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang])))

Vrg 8 topicale bestrijding [310]

"Pain/drug therapy"[Majr] AND (topical[tiab] OR capsaicin[tiab] OR morphine[mh] OR anti-inflammatory agents, non-steroidal[mh]) AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (random\*[tiab] OR placebo[mh]) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab]) AND (hasabstract[text] AND ("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))

Vrg 9 cox-2 breed [261]

(randomized controlled trial[pt] OR review[pt] OR random\*[tiab] OR (double[tw] AND blind[tw]) OR placebo[tw] OR meta-anal\*[tiab] OR systematic[sb] OR systematic[tiab]) AND (pain/drug therapy[majr] OR pain relief[tiab] OR relieving pain[tiab] OR (pain[tiab] AND relief[tiab]) OR pain[ti]) AND ("cyclooxygenase 2 inhibitors"[mh] OR "cyclooxygenase 2 inhibitors"[pharmacological action] OR celecoxib[tiab] OR etoricoxib[tiab] OR parecoxib[tiab]) AND (adverse effects[sh] OR adverse effect\*[tiab] OR side effect\*[tiab] OR effect[tiab] OR effects[tiab] OR safety[tiab] OR efficacy[tiab]) AND (hasabstract[text] AND ("2006/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))

Vrg 9 cox-2 smal [53]

"Pain/drug therapy"[Mh] AND ("cyclooxygenase 2 inhibitors"[mh] OR "cyclooxygenase 2 inhibitors"[pharmacological action]) AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (random\*[tiab] OR placebo[mh]) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab]) AND (hasabstract[text] AND ("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))

Vrg 9A cox-2 bijwerkingen breed [125]

(randomized controlled trial[pt] OR review[pt] OR random\*[tiab] OR (double[tw] AND blind[tw]) OR placebo[tw] OR meta-anal\*[tiab] OR systematic[sb] OR systematic[tiab]) AND (pain/drug therapy[majr] OR pain relief[tiab] OR relieving pain[tiab] OR (pain[tiab] AND relief[tiab]) OR pain[ti]) AND ("cyclooxygenase 2 inhibitors"[mh] OR "cyclooxygenase 2 inhibitors"[pharmacological action] OR celecoxib[tiab] OR etoricoxib[tiab] OR parecoxib[tiab]) AND (adverse effects[sh] OR adverse effect\*[tiab] OR side effect\*[tiab]) AND (hasabstract[text] AND (compared[tiab] OR comparing[tiab] OR comparative[tw] OR versus[tiab]) AND ("2006/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))

Vrg 9B cox-2 bijwerkingen smal [75]

(randomized controlled trial[pt] OR review[pt] OR random\*[tiab] OR (double[tw] AND blind[tw]) OR placebo[tw] OR meta-anal\*[tiab] OR systematic[sb] OR systematic[tiab]) AND (pain/drug therapy[majr] OR pain relief[tiab] OR relieving pain[tiab] OR (pain[tiab] AND relief[tiab]) OR pain[ti]) AND ("cyclooxygenase 2 inhibitors"[mh] OR "cyclooxygenase 2 inhibitors"[pharmacological action] OR celecoxib[tiab] OR etoricoxib[tiab] OR parecoxib[tiab]) AND (adverse effects[sh] OR adverse effect\*[tiab] OR side effect\*[tiab]) AND (hasabstract[text] AND ("2006/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang])) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab])

Vrg 10 codeïne [102]

"Pain/drug therapy"[Majr] AND (codeine[mh] OR tramadol[mh]) AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (random\*[tiab] OR placebo[mh]) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab]) AND (hasabstract[text] AND ("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))

Vrg 10A1 sterke opiaten algemeen [550]

("Morphine/therapeutic use"[Mesh] OR "Fentanyl/therapeutic use"[Mesh] OR "Buprenorphine/therapeutic use"[Mesh]) AND (pain/drug therapy[majr] OR pain relief[tiab] OR relieving pain[tiab] OR (pain[tiab] AND relief[tiab]) OR pain[ti]) AND (randomized controlled trial[pt] OR review[pt] OR random\*[tiab] OR (double[tw] AND blind[tw]) OR placebo[tw] OR meta-anal\*[tiab] OR systematic[sb] OR systematic[tiab]) AND (adverse effects[sh] OR adverse effect\*[tiab] OR side effect\*[tiab] OR effect[tiab] OR effects[tiab] OR safety[tiab] OR efficacy[tiab] OR quality of life[majr]) AND (compare\*[tiab] OR comparison[tiab] OR comparative study[tw])

Vrg 10A2 opiaten vergeleken [340]

("Morphine/therapeutic use"[Majr] OR "Fentanyl/therapeutic use"[Majr] OR "Buprenorphine/therapeutic use"[Majr]) AND (pain/drug therapy[majr] OR pain relief[tiab] OR relieving pain[tiab] OR (pain[tiab] AND relief[tiab]) OR pain[ti]) AND (randomized controlled trial[pt] OR review[pt] OR random\*[tiab] OR (double[tw] AND blind[tw]) OR placebo[tw] OR meta-anal\*[tiab] OR systematic[sb] OR systematic[tiab]) AND (adverse effects[sh] OR adverse effect\*[tiab] OR side effect\*[tiab] OR effect[tiab] OR effects[tiab] OR safety[tiab] OR efficacy[tiab] OR quality of life[majr]) AND (compare\*[tiab] OR comparison[tiab] OR comparative study[tw])

Vrg 11 NSAID's & kinderen [23]

"Pain/drug therapy"[mh] AND (child[tiab] OR children[tiab]) AND (anti-inflammatory agents, non-steroidal[mh]) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab]) AND (hasabstract[text] AND ("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))

Vrg 12 palliatieve fase [46]

"Pain/drug therapy"[mh] AND palliative[tiab] AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (random\*[tiab] OR placebo[mh]) NOT (surgery[tw] OR postoperative[tiab]) AND (hasabstract[text] AND ("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))

*Extra vragen, oktober 2013 – november 2014*

Extra vraag 1A bijwerkingen paracetamol breed [282]

(acetaminophen/adverse effects[majr] OR paracetamol[tiab] OR acetaminophen[tiab]) AND (adverse effect\*[tiab] OR side effect\*[tiab] OR risk[mh] OR risk[tiab]) AND (randomized controlled trial[pt] OR review[pt] OR random\*[tiab] OR (double[tw] AND blind[tw]) OR placebo[tw] OR meta-anal\*[tiab] OR systematic[sb] OR systematic[tiab]) AND (pain/drug therapy[majr] OR pain relief[tiab] OR relieving pain[tiab] OR (pain[tiab] AND relief[tiab]) OR (risk[tiab] AND events[tiab]))

Extra vraag 1B bijwerkingen paracetamol smal [80]

(acetaminophen/adverse effects[majr] OR paracetamol[tiab] OR acetaminophen[tiab]) AND (adverse effect\*[tiab] OR side effect\*[tiab] OR risk[mh] OR risk[tiab]) AND (randomized controlled trial[pt] OR review[pt] OR random\*[tiab] OR (double[tw] AND blind[tw]) OR placebo[tw] OR meta-anal\*[tiab] OR systematic[sb] OR systematic[tiab]) AND (pain/drug therapy[majr] OR pain relief[tiab] OR relieving pain[tiab] OR (pain[tiab] AND relief[tiab]) OR (risk[tiab] AND events[tiab])) AND (cardiovascular[tiab] OR renal[tiab] OR gastrointestinal[tiab])

Extra vraag effect buprenorfine [73]

("Buprenorphine/therapeutic use"[Mesh] OR buprenorphine[tiab]) AND ("Pain Management"[Mesh] OR "Pain"[Mesh]) AND (effect[tiab] OR effects[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (randomized[tiab] OR randomised[tiab] OR placebo[mh] OR meta-anal\*[tiab] OR systematic[tiab] OR systematic[sb])

Extra vraag fysiotherapie & SR's [44]

(physical therapy modalities[majr] AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND ("Chronic Pain"[Mesh] OR "Pain, Intractable"[Mesh] OR "Pain"[Majr:noexp]) AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (hasabstract[text] AND ("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))) AND (((meta-analysis[pt] OR meta-anal\*[tw] OR metaanal\*[tw]) OR (quantitativ\* AND review\*[tw] OR systematic\* AND review\*[tw] OR methodologic\* AND review\*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw]))) NOT (letter[pt] OR comment[pt] OR editorial[pt])) AND (hasabstract[text] AND ("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang])))

Extra vraag fysiotherapie & RCT's [156]

((physical therapy modalities[majr] AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND ("Chronic Pain"[Mesh] OR "Pain, Intractable"[Mesh] OR "Pain"[Majr:noexp]) AND (effect[tiab] OR effects[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) NOT (surgery[tw] OR postoperative[tiab] OR hospital\*[tiab]))) AND (hasabstract[text] AND ("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))) AND (((random\*[tiab] OR placebo[mh])) AND (hasabstract[text] AND ("2003/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang])))

*Extra vragen, juni 2015 – november 2017*

Extra vraag opiaten en anti-emetica – juni 2015 [19]

(Nausea/drug therapy[mh] OR nausea/prevention and control[mh] OR nausea[majr] OR Vomiting/drug therapy[mh] OR vomiting/prevention and control[mh] OR vomiting[majr] OR nausea[ti] OR vomiting[ti] OR emesis[tiab] OR gastroenteritis[tiab] OR gastro-enteritis[tiab] OR flu[tiab]) AND (analgesics, opioid[mh] OR analgesics, opioid[pharmacological action] OR opioid\*[tiab] OR morphine[mh] OR morphine[tiab] OR tramadol[mh] OR tramadol[tiab] OR fentanyl[mh] OR

fentanyl[tiab]) AND (antiemetics/therapeutic use[mh] OR antiemetics[majr] OR antiemetic\*[tiab] OR anti-emetic\*[tiab] OR antiemesis[tiab] OR anti-emesis[tiab] OR prophylactic\*[tiab] OR prophylaxis[tiab]) AND (meta-anal\*[tiab] OR meta-analysis[pt] OR systematic[sb] OR systematic[tiab] OR randomized controlled trial[pt] OR randomized[tiab] OR randomised[tiab] OR placebo[mh] OR (double[tiab] AND blind[tiab])) AND (effect[tiab] OR effects[tiab] OR effectiveness[tiab] OR efficacy[tiab] OR adverse effects[sh]) NOT (surgery[tw] OR motion sickness[tw] OR pregnancy[mh] OR chemotherapy[tw] OR radiotherapy[tw] OR travel sickness[tw] OR anaesthesia[tw] OR anesthesia[tw] OR postoperative[tiab] OR post-operative[tiab] OR dogs[tiab] OR cats[tiab])

Extra vraag cannabis en pijnverlichting – april 2016 [138]

("Cannabinoids/therapeutic use"[Mesh] OR cannabinoid\*[tiab] OR cannabis/therapeutic use[mh] OR cannabis[tiab] OR cannabidiol[tiab] OR dronabinol[tiab] OR marijuana[all fields] OR marihuana[tiab]) AND (chronic pain/drug therapy[mh] OR chronic pain[tiab]) AND (meta-anal\*[tiab] OR systematic review[tiab] OR systematic[sb] OR review[pt] OR randomized controlled trial[pt] OR randomized[tiab] OR randomised[tiab] OR RCT[tiab])

Extra vraag risico's/toename opiaten – november 2017 [47]

(Pain[mh] OR pain[tiab]) AND (oxycodone[tiab] OR morphine[tiab] OR fentanyl[tiab] OR buprenorphine[tiab] OR methadone[tiab] OR opioid\*[tiab]) AND (dependence[tiab] OR dependency[tiab] OR addiction[tiab] OR misuse[tiab] OR overdose[tiab]) AND (risk[tiab] OR safety[tiab] OR duration[tiab] OR time-factors[mh] OR prevent\*[tiab]) AND (meta-analysis[tiab] OR systematic review[tiab])