

ZOEKSTRATEGIE NHG-STANDAARD SEKSUELE KLACHTEN (M87)

Het aantal gevonden artikelen per specifieke zoekvraag staat vermeld tussen vierkante haken.

Relevante artikelen die verschenen na de specifieke searches zijn in voorkomende gevallen uiteraard ook meegenomen. Nieuwe artikelen werden getraceerd via twee 'eindsearches' voorafgaand aan het interne overleg over de concept-standaard. Het selectie- en beoordelingsproces bij de nieuw gevonden artikelen was hetzelfde als bij de initieel gevonden artikelen.

Oriënterende searches, alleen erectiele disfunctie, augustus 2013

OS1 systematic reviews

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR (quantitativ* AND review*[tw] OR systematic* AND review*[tw] OR methodologic* AND review*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw]))) NOT (letter[pt] OR comment[pt] OR editorial[pt]))

OS 2 richtlijnen

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti])))

OS 3 eerstelijn

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

OS 4 etniciteit

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR emigration and immigration[mh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti])

OS 6 patiëntenperspectief

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND ("patient participation"[mh] OR "patient satisfaction"[mh] OR "patient preference"[mh] OR "patient perspective"[tw])

OS 7 spoed

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab] OR priapism[mh] OR phosphodiesterase 5 inhibitors[mh]) AND ("emergency treatment"[mh] OR "emergency medical services"[mh] OR "first aid"[mh] OR "emergency service, hospital"[mh] OR triage[mh] OR "emergency room"[tw] OR emergency department[tiab])

Oriënterende searches, overige seksuele klachten, november 2013

OS A systematic reviews & RCT's

("Premature Ejaculation"[Mesh] OR "Dyspareunia"[Mesh] OR "Vaginismus"[Mesh] OR anorgasmia[tiab] OR ejaculatio praecox[tiab] OR sexual dysfunction[tiab] OR sexual complaints[tiab] OR arousal problem*[tiab] OR low desire[tiab] OR diminished desire[tiab] OR diminished arousal[tiab] OR diminished sexual desire[tiab] OR decreased libido[tiab] OR reduced libido[tiab] OR low libido[tiab]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR meta-anal*[tiab] OR systematic[sb] OR systematic[tiab]))

OS B richtlijnen

("Premature Ejaculation"[Mesh] OR "Dyspareunia"[Mesh] OR "Vaginismus"[Mesh] OR anorgasmia[tiab] OR ejaculatio praecox[tiab] OR sexual dysfunction[tiab] OR sexual complaints[tiab] OR arousal problem*[tiab] OR low desire[tiab] OR diminished desire[tiab] OR diminished arousal[tiab] OR diminished sexual desire[tiab] OR decreased libido[tiab] OR reduced libido[tiab] OR low libido[tiab]) AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti])))

OS C eerstelijn

("Premature Ejaculation"[Mesh] OR "Dyspareunia"[Mesh] OR "Vaginismus"[Mesh] OR anorgasmia[tiab] OR ejaculatio praecox[tiab] OR sexual dysfunction[tiab] OR sexual complaints[tiab] OR arousal problem*[tiab] OR low desire[tiab] OR diminished desire[tiab] OR diminished arousal[tiab] OR diminished sexual desire[tiab] OR decreased libido[tiab] OR reduced libido[tiab] OR low libido[tiab]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

OS D etniciteit

("Premature Ejaculation"[Mesh] OR "Dyspareunia"[Mesh] OR "Vaginismus"[Mesh] OR anorgasmia[tiab] OR ejaculatio praecox[tiab] OR sexual dysfunction[tiab] OR sexual complaints[tiab] OR arousal problem*[tiab] OR low desire[tiab] OR diminished desire[tiab] OR diminished arousal[tiab] OR diminished sexual desire[tiab] OR decreased libido[tiab] OR reduced libido[tiab] OR low libido[tiab]) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR emigration and immigration[mh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti])

OS F patiëntenperspectief

("Premature Ejaculation"[Mesh] OR "Dyspareunia"[Mesh] OR "Vaginismus"[Mesh] OR anorgasmia[tiab] OR ejaculatio praecox[tiab] OR sexual dysfunction[tiab] OR sexual complaints[tiab] OR arousal problem*[tiab] OR low desire[tiab] OR diminished desire[tiab] OR diminished arousal[tiab] OR diminished sexual desire[tiab] OR decreased libido[tiab] OR reduced libido[tiab] OR low libido[tiab]) AND ("patient participation"[mh] OR "patient satisfaction"[mh] OR "patient preference"[mh] OR patient perspective[tiab] OR patient perspectives[tiab] OR patient's perspective[tiab] OR patient's view[tiab] OR patient's views[tiab])

Specifieke searches, oktober – november 2013

Vrg 1 cardiovasculair risico [53]

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND (cardiovascular[tiab] OR coronary artery[tiab] OR cardiovascular diseases[majr]) AND (meta-anal*[tiab] OR systematic[tiab] OR systematic[sb])

Vrg 2 lifestyle [63]

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND (life style[mh] OR lifestyle[tiab]) AND (effect[tiab] OR effects[tiab] OR effectiv*[tiab] OR randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR meta-anal*[tiab] OR systematic[tiab] OR systematic[sb])

Vrg 3 associaties [101]

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND (meta-anal*[tiab] OR systematic[tiab] OR systematic[sb] OR cohort[tiab]) AND (risk factor*[tiab] OR risk factors[mh]) AND (relation*[tiab] OR onset[tiab] OR correlat*[tiab] OR associat*[tiab])

Vrg 4A medicatiebijwerkingen breed [170]

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR meta-anal*[tiab] OR systematic[tiab] OR systematic[sb] OR cohort[tiab]) AND (risk factor*[tiab] OR risk factors[mh] OR risk[tw] OR adverse effect*[tiab] OR side effect*[tiab]) AND (therapy[sh] OR testosterone[mh] OR vasodilator agents[mh] OR drug therapy[mh]) NOT (prostatic hyperplasia[tiab] OR prostate cancer[tiab] OR prostatectomy[tiab])

Vrg 4B medicatiebijwerkingen smal [103]

((("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND (cohort[tw] OR case control[tw] OR cohort[tiab] OR case-control studies[mh])) AND (risk factor*[tiab] OR risk factors[mh] OR risk[tw] OR adverse effect*[tiab] OR side effect*[tiab])) AND (therapy[sh] OR complications[sh] OR vasodilator agents[majr] OR phosphodiesterase inhibitors[majr] OR antipsychotic agents[majr] OR testosterone[mh] OR vasodilator agents[mh] OR drug therapy[mh]) NOT (prostatic hyperplasia[tiab] OR prostate cancer[tiab] OR prostatectomy[tiab]) AND (hasabstract[text] AND ("2008/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))) NOT (((("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR meta-anal*[tiab] OR systematic[tiab] OR systematic[sb] OR cohort[tiab])) AND (risk factor*[tiab] OR risk factors[mh] OR risk[tw] OR adverse effect*[tiab] OR side effect*[tiab])) AND (therapy[sh] OR testosterone[mh] OR vasodilator agents[mh]))

OR drug therapy[mh]) NOT (prostatic hyperplasia[tiab] OR prostate cancer[tiab] OR prostatectomy[tiab]) AND (hasabstract[text] AND ("2008/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang])))

Vrg 5 psychisch vs fysiek [261]

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND (incidence[tw] OR prevalence[tw] OR ratio[tiab] OR correlat*[tiab]) AND (psychopathology[tw] OR psychological[tiab] OR psycho-social[tiab] OR psychosocial[tiab] OR fail*[tiab] OR psychology[sh]) NOT (prostatic hyperplasia[tiab] OR prostatic cancer[tiab] OR prostatectomy[tiab])

Vrg 6 medicamenteus & psychogen [100]

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND ("Phosphodiesterase 5 Inhibitors"[Mesh] OR "Phosphodiesterase 5 Inhibitors"[Pharmacological Action] OR sildenafil[tiab] OR tadalafil[tiab] OR vardenafil[tiab]) AND (effectiv*[tiab] OR effect[tiab] OR effects[tiab] OR safety[tiab] OR adverse effects[tw] OR side effects[tw] OR randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw])) OR placebo[tw] OR meta-anal*[tiab] OR systematic[tiab] OR systematic[sb]) AND (psychology[sh] OR psychologic*[tiab] OR psychogenic*[tiab])

Vrg 7 psychotherapie [120]

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND (psychosocial*[tiab] OR psychotherapy[tiab] OR group therapy[tiab] OR counseling[tiab])

Vrg 8 PDE5 [207]

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND ("Phosphodiesterase 5 Inhibitors"[Mesh] OR "Phosphodiesterase 5 Inhibitors"[Pharmacological Action]) AND (effectiv*[tiab] OR effect[tiab] OR effects[tiab] OR safety[tiab] OR adverse effects[tw] OR side effects[tw] OR randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw])) OR placebo[tw] OR meta-anal*[tiab] OR systematic[tiab] OR systematic[sb]) AND (compar*[tiab] OR placebo[mh] OR placebo[tiab])

Specifieke searches, maart – oktober 2014

Vrg 2 smal, alleen stoppen met roken [36]

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND ("Smoking Cessation"[mh] OR smoking/adverse effects[mh]) AND (stopping[tiab] OR intervention*[tiab] OR lifestyle change*[tiab] OR effect[tiab] OR effects[tiab] OR effectiv*[tiab])

Vrg 9 testosterontherapie [157]

((("Erectile Dysfunction"[Mesh] OR "Hypogonadism"[Mesh] OR erectile dysfunction[tiab] OR sexual dysfunction[tiab] OR late-onset hypogonadism[tiab]) AND ("Testosterone/adverse effects"[Mesh] OR testosterone/therapeutic use[mh] OR testosterone replacement therapy[tiab] OR testosterone therapy[tiab]) OR (testosterone therapy[tiab] AND adverse effects[tiab])) AND (randomized controlled trials as topic[mh] OR meta-analysis[pt] OR randomized[tiab] OR randomised[tiab] OR meta-analysis[tiab] OR RCT[tiab] OR systematic[tiab]))

Vrg 10 EP & niet-medicamenteuze therapie [46]

("Premature Ejaculation"[Mesh] OR premature ejaculation[tiab] OR ejaculation time[tiab] OR ejaculation/physiology[mh] OR intravaginal ejaculation latency time[tiab] OR IELT[tiab]) AND ("Sex Counseling"[Mesh] OR "Cognitive Therapy/methods"[Mesh] OR "Behavior Therapy/methods"[Mesh] OR "Combined Modality Therapy/methods"[Mesh] OR psychosocial approach*[tiab] OR psychosocial treatment*[tiab] OR psychosocial intervention*[tiab] OR behavioral treatment[tiab] OR behavioural treatment[tiab] OR behavioral therapy[tiab] OR behavioural therapy[tiab] OR cognitive-behavioral[tiab] OR cognitive-behavioural[tiab])

Vrg 11 EP & medicatie [77]

("Premature Ejaculation/drug therapy"[Mesh] OR premature ejaculation[tiab]) AND ("Serotonin Uptake Inhibitors"[Pharmacological Action] OR "Serotonin Uptake Inhibitors"[Mesh] OR SSRI*[tiab] OR selective serotonin reuptake inhibitor*[tiab] OR tramadol[tiab] OR dapoxetine[tiab] OR lidocaine[mh] OR lidocaine[tiab]) AND (randomized controlled trials as topic[mh] OR meta-analysis[pt] OR randomized[tiab] OR randomised[tiab] OR meta-analysis[tiab] OR RCT[tiab] OR systematic[tiab])

Vrg 12A HSDD & medicatie [55]

(hypoactive sexual desire disorder*[tiab] OR sexual arousal disorder[tiab] OR hypoactive sexual desire[tiab] OR low sexual desire[tiab]) AND (randomized controlled trials as topic[mh] OR meta-analysis[pt] OR randomized[tiab] OR randomised[tiab] OR meta-analysis[tiab] OR RCT[tiab] OR systematic[tiab]) AND (female[mh] OR female*[tiab] OR women[tiab]) AND (testosterone/therapeutic use[mh] OR testosterone[tiab] OR sildenafil[tiab] OR phosphodiesterase[tiab] OR flibanserin[tiab] OR PDE5[tiab] OR placebo)

Vrg 12B HSDD & PDE5 [50]

(hypoactive sexual desire disorder*[tiab] OR HSDD[tiab] OR sexual arousal disorder[tiab] OR FSAD[tiab] OR hypoactive sexual desire[tiab] OR low sexual desire[tiab] OR sexual dysfunctions, psychological/drug therapy[mh]) AND (randomized controlled trials as topic[mh] OR meta-analysis[pt] OR randomized[tiab] OR randomised[tiab] OR meta-analysis[tiab] OR RCT[tiab] OR systematic[tiab] OR double-blind method[mh]) AND (female[mh] OR female*[tiab] OR women[tiab]) AND (sildenafil[tiab] OR sildenafil[supplementary concept] OR phosphodiesterase inhibitors/therapeutic use[mh] OR phosphodiesterase[tiab] OR PDE5[tiab])

Vrg 13 HSDD & niet-medicamenteuze therapie [117]

("Sexual Dysfunctions, Psychological/therapy"[Mesh] OR hypoactive sexual desire disorder[tiab] OR HSDD[tiab] OR sexual arousal disorder[tiab] OR hypoactive sexual desire[tiab] OR low sexual desire[tiab]) AND (woman[tiab] OR women[tiab] OR female[mh] OR female[tiab]) AND ("Sex Counseling"[Mesh] OR "Cognitive Therapy/methods"[Mesh] OR "Behavior Therapy/methods"[Mesh] OR "Combined Modality Therapy/methods"[Mesh] OR psychosocial approach*[tiab] OR psychosocial treatment*[tiab] OR psychosocial intervention*[tiab] OR behavioral treatment[tiab] OR behavioural treatment[tiab] OR behavioral therapy[tiab] OR behavioural therapy[tiab] OR cognitive-behavioral[tiab] OR cognitive-behavioural[tiab])

Vrg 14 anorgasmie [33]

(orgasmic[tiab] OR anorgasmia[tiab] OR inhibited female orgasm[tiab]) AND (woman[tiab] OR women[tiab] OR female[mh] OR female[tiab]) AND ("Sex Counseling"[Mesh] OR "Cognitive

Therapy/methods"[Mesh] OR "Behavior Therapy/methods"[Mesh] OR "Combined Modality Therapy/methods"[Mesh] OR psychosocial approach*[tiab] OR psychosocial treatment*[tiab] OR psychosocial intervention*[tiab] OR behavioral treatment[tiab] OR behavioural treatment[tiab] OR behavioral therapy[tiab] OR behavioural therapy[tiab] OR cognitive-behavioral[tiab] OR cognitive-behavioural[tiab]

Vrg 15 vaginisme [46]

("Vaginismus"[Mesh] OR "Dyspareunia"[Mesh] OR "Vulvodynia"[Mesh] OR "Vulvar Vestibulitis"[Mesh] OR vestibulodynia[tiab] OR focal vulvitis[tiab] OR female sexual pain[tiab] OR vulval pain[tiab]) AND ("Sex Counseling"[Mesh] OR "Cognitive Therapy/methods"[Mesh] OR "Behavior Therapy/methods"[Mesh] OR "Combined Modality Therapy/methods"[Mesh] OR psychosocial approach*[tiab] OR psychosocial treatment*[tiab] OR psychosocial intervention*[tiab] OR behavioral treatment[tiab] OR behavioural treatment[tiab] OR behavioral therapy[tiab] OR behavioural therapy[tiab] OR cognitive-behavioral[tiab] OR cognitive-behavioural[tiab])

Vrg 16 diabetes/obesitas [61]

("Testosterone"[Mesh] OR testosterone[tiab]) AND ("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR sex hormone level*[tiab]) AND ("Diabetes Mellitus"[Mesh] OR diabetes[tiab] OR "Obesity"[Mesh] OR obesity[tiab] OR "metabolic syndrome X"[majr]) AND (randomized controlled trials as topic[mh] OR meta-analysis[pt] OR randomized[tiab] OR randomised[tiab] OR meta-anal*[tiab] OR RCT[tiab] OR systematic[tiab] OR systematic[sb] OR placebo[tiab] OR prospective studies[mh] OR retrospective studies[mh])

Extra vrg TCA's [29]

("Antidepressive Agents, Tricyclic"[Mesh] OR tricyclic antidepressants[tiab] OR TCAs[tiab]) AND (adverse effects[sh] OR side effects[tiab] OR adverse reactions[tiab]) AND (meta-anal*[tiab] OR systematic[sb] OR systematic review[tiab] OR randon*[tiab] OR placebo[tiab]) AND (sexual dysfunction*[tiab] OR sexual problem*[tiab] OR erectile dysfunction*[tiab] OR sexual desire[tiab] OR orgasmic difficulties[tiab])

Eindsearches, januari 2015

Eindsearch, alleen erectiele disfunctie [201]

("Erectile Dysfunction"[Mesh] OR erectile dysfunction[tiab] OR erection problems[tiab] OR erection difficulties[tiab]) AND (english[la] OR dutch[la]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR meta-anal*[tiab] OR systematic[sb] OR systematic review[tiab] OR guideline[pt] OR practice guideline[pt] OR guideline*[tiab])

Eindsearch, overige seksuele klachten [130]

("Premature Ejaculation"[Mesh] OR "Dyspareunia"[Mesh] OR "Vaginismus"[Mesh] OR anorgasmia[tiab] OR ejaculatio praecox[tiab] OR sexual dysfunction[tiab] OR sexual complaints[tiab] OR arousal problem*[tiab] OR low desire[tiab] OR diminished desire[tiab] OR diminished arousal[tiab] OR diminished sexual desire[tiab] OR decreased libido[tiab] OR reduced libido[tiab] OR low libido[tiab]) AND (english[la] OR dutch[la]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR meta-anal*[tiab] OR systematic[sb] OR systematic review[tiab] OR guideline[pt] OR practice guideline[pt] OR guideline*[tiab])