

ZOEKSTRATEGIE NHG-STANDAARD MISKRAAM

Het aantal gevonden artikelen per uitgangsvraag staat vermeld tussen vierkante haken.

Relevante artikelen die verschenen na de oriënterende en specifieke searches zijn in voorkomende gevallen uiteraard ook meegenomen. Nieuwe artikelen werden getraceerd door middel van een 'eindsearch' voorafgaand aan het interne overleg over de concept-standaard. Het selectie- en beoordelingsproces bij de nieuw gevonden artikelen was hetzelfde als bij de initieel gevonden artikelen.

Oriënterende searches – april 2014

OS1 SR's

("Abortion, Spontaneous"[Majr] OR miscarriage[tiab] OR early pregnancy loss[tiab]) AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR ("quantitative review"[tw] OR "systematic review"[tw] OR "methodologic review"[tw]) OR (review[pt] AND Cochrane[tw]) NOT (letter[pt] OR comment[pt] OR editorial[pt])) NOT (intrauterine device*[tiab] OR intrauterine contraceptive device*[tiab] OR IUD[tiab] OR IVF[tiab] OR ovarian stimulation[tiab] OR intrauterine insemination[tiab] OR ovulation induction[tiab] OR assisted reproducti*[tiab] OR incomplete[ti])

OS2 richtlijnen

("Abortion, Spontaneous"[Majr] OR miscarriage[tiab] OR early pregnancy loss[tiab]) AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti])) NOT (intrauterine device*[tiab] OR intrauterine contraceptive device*[tiab] OR IUD[tiab] OR IVF[tiab] OR ovarian stimulation[tiab] OR intrauterine insemination[tiab] OR ovulation induction[tiab] OR assisted reproducti*[tiab] OR incomplete[ti])

OS3 eerstelijn

("Abortion, Spontaneous"[mh] OR miscarriage[tiab] OR early pregnancy loss[tiab]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw]) NOT (intrauterine device*[tiab] OR intrauterine contraceptive device*[tiab] OR IUD[tiab] OR IVF[tiab] OR ovarian stimulation[tiab] OR intrauterine insemination[tiab] OR ovulation induction[tiab] OR assisted reproducti*[tiab] OR incomplete[ti])

OS4 etniciteit

("Abortion, Spontaneous"[majr] OR miscarriage[tiab] OR early pregnancy loss[tiab]) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR emigration and immigration[mh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti]) NOT (intrauterine device*[tiab] OR intrauterine contraceptive device*[tiab] OR IUD[tiab] OR IVF[tiab] OR ovarian stimulation[tiab] OR intrauterine insemination[tiab] OR ovulation induction[tiab] OR assisted reproducti*[tiab] OR incomplete[ti])

OS5 patiëntenperspectief

("Abortion, Spontaneous"[mh] OR miscarriage[tiab] OR early pregnancy loss[tiab]) AND ("patient participation"[mh] OR "patient satisfaction"[mh] OR "patient preference"[mh] OR patient perspective[tiab] OR patient perspectives[tiab] OR patient's perspective[tiab] OR patient's view[tiab] OR patient's views[tiab]) NOT (intrauterine device*[tiab] OR intrauterine contraceptive device*[tiab] OR IUD[tiab] OR IVF[tiab] OR ovarian stimulation[tiab] OR intrauterine insemination[tiab] OR ovulation induction[tiab] OR assisted reproducti*[tiab] OR incomplete[ti])

OS6 arbeid

("Abortion, Spontaneous"[mh] OR miscarriage[tiab] OR early pregnancy loss[tiab]) AND ("Sick Leave"[Mesh] OR "Rehabilitation, Vocational"[Mesh] OR "Occupational Health"[Mesh] OR "Absenteeism"[Mesh]) NOT (intrauterine device*[tiab] OR intrauterine contraceptive device*[tiab] OR IUD[tiab] OR IVF[tiab] OR ovarian stimulation[tiab] OR intrauterine insemination[tiab] OR ovulation induction[tiab] OR assisted reproducti*[tiab] OR incomplete[ti])

OS7 spoed

((("Abortion, Spontaneous"[mh] OR miscarriage[tiab] OR early pregnancy loss[tiab]) AND first trimester[tiab]) AND ("emergency treatment"[mh] OR "emergency medical services"[mh] OR "first aid"[mh] OR "emergency service, hospital"[mh] OR triage[mh] OR "emergency room"[tw] OR emergency department[tiab] OR ER[tw])) NOT (intrauterine device*[tiab] OR intrauterine contraceptive device*[tiab] OR IUD[tiab] OR IVF[tiab] OR ovarian stimulation[tiab] OR intrauterine insemination[tiab] OR ovulation induction[tiab] OR assisted reproducti*[tiab] OR incomplete[ti])

OS8 incidentie & prevalentie

((miscarriage[tiab] OR pregnancy loss[tiab]) AND first trimester[tiab]) AND (incidence[tiab] OR prevalence[tiab])

Specifieke searches – oktober 2014 - februari 2016

AMC-vraag speculumonderzoek – oktober 2014 [37]

("Uterine Hemorrhage"[Mesh] OR "Pregnancy Complications"[Mesh] OR "Abortion, Spontaneous"[Mesh] OR early pregnancy[tiab] OR first trimester[tiab] OR pregnancy[ti] OR pregnant[ti]) AND ("Physical Examination/instrumentation"[Mesh] OR speculum[tiab] OR VSE[tiab] OR pelvic examination[ti]) AND (bleeding[tiab] OR blood loss[tiab] OR blood-loss[tiab] OR complaints[tiab] OR ectropion[tiab] OR cervical polyp*[tiab])

Vrg2a oorzaken herhaalde miskraam – februari 2015 [143]

((("Abortion, Spontaneous/etiology"[Majr] OR abortion, habitual/etiology[majr]) AND recurrent[tiab]) OR recurrent miscarriage[tiab] OR recurrent pregnancy loss[tiab] OR consecutive miscarriage*[tiab] OR consecutive spontaneous abortion*[tiab]) AND (cause*[tiab] OR aetiology[tiab] OR etiology[tiab]) AND (meta-anal*[tiab] OR systematic[sb] OR randomized[tiab] OR randomised[tiab] OR review[pt] OR further examination[tiab] OR further investigation[tiab] OR referr*[tiab])

Vrg2b oorzaken herhaalde miskraam, beperkt tot genetics – juni 2015 [45]

((("Abortion, Spontaneous/etiology"[mh] OR abortion, spontaneous/genetics[mh] OR abortion, habitual/etiology[mh] OR abortion, habitual/genetics[mh]) AND recurrent[tiab]) OR recurrent miscarriage[tiab] OR recurrent pregnancy loss[tiab] OR consecutive miscarriage*[tiab] OR consecutive spontaneous abortion*[tiab]) AND (cause*[tiab] OR aetiology[tiab] OR etiology[tiab]) AND (meta-

anal*[tiab] OR systematic[sb] OR randomized[tiab] OR randomised[tiab] OR review[pt] OR further examination[tiab] OR further investigation[tiab] OR referr*[tiab] OR research support, non-U.S. Gov't[pt]) AND (chromosome testing[tiab] OR karyotyping[tiab] OR genetic[tiab])

Vrg3 stolsels – februari 2015 [45]

("Abortion, Spontaneous"[mh] OR miscarriage[tiab] OR early pregnancy loss[tiab]) AND (examination[tiab] OR disposal[tiab] OR evaluation[tiab]) AND (tissue[tiab] OR medical waste[tw]) NOT (animals[mh] NOT (animals[mh] AND humans[mh]))

Vrg4a zwangerschapstest – februari 2015 [11]

("Abortion, Spontaneous"[mh] OR miscarriage[tiab] OR early pregnancy loss[tiab]) AND (pregnancy test*[tiab] OR urinary test*[tiab] OR urinary screening[tiab] OR urine[tiab] OR pregnancy tests[mh]) AND (predictive value[tw] OR specificity[tiab]) NOT (animals[mh] NOT (animals[mh] AND humans[mh]))

Vrg4b zwangerschapstest opnieuw – december 2015 [187]

(Pregnancy[mh] OR pregnancy[ti] OR pregnancy-related disorders[tiab] OR amenorrhea[mh] OR amenorrhea[tiab]) AND (human chorionic gonadotropin[tiab] OR chorionic gonadotropin/analysis[mh] OR chorionic gonadotropin/blood[mh] OR chorionic gonadotropin/urine[mh]) AND (value[tiab] OR specificity[tiab] OR sensitivity and specificity[mh] OR test[tiab] OR false positive[tw] OR false negative[tw]) AND (diagnosis[tiab] OR diagnostics[tiab]) NOT (animals[mh] NOT (animals[mh] AND humans[mh])))

Vrg5a risicofactoren EUG – maart 2015 [114]

("Pregnancy, Ectopic"[MESH] OR ectopic pregnancy[tiab]) AND (risk factors[mh] OR risk factor*[tiab]) AND ("cohort studies"[MESH] OR case control studies[mh] OR control group[tiab] OR comparative study[pt])

Vrg5b risicofactoren EUG, alleen roken en SOA – maart 2015 [18]

("Pregnancy, Ectopic"[MESH] OR ectopic pregnancy[tiab]) AND (risk factors[mh] OR risk factor*[tiab]) AND ("cohort studies"[MESH] OR case control studies[mh] OR control group[tiab] OR comparative study[pt]) AND (smoking[tiab] OR sexually transmitted diseases[mh] OR STD*[tiab])

Vrg6 richtlijnen herhaalde miskraam – april 2015 [40]

((("Abortion, Spontaneous"[Majr] OR miscarriage[tiab] OR pregnancy loss[tiab]) AND recurs*[tiab]) AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR guidelines[mh] OR guideline*[tiab])) NOT (intrauterine device*[tiab] OR intrauterine contraceptive device*[tiab] OR IUD[tiab] OR IVF[tiab] OR ovarian stimulation[tiab] OR intrauterine insemination[tiab] OR ovulation induction[tiab] OR assisted reproducti*[tiab] OR incomplete[ti])) NOT ((("Abortion, Spontaneous"[Majr] OR miscarriage[tiab] OR early pregnancy loss[tiab]) AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti]))) NOT (intrauterine device*[tiab] OR intrauterine contraceptive device*[tiab] OR IUD[tiab] OR IVF[tiab] OR ovarian stimulation[tiab] OR intrauterine insemination[tiab] OR ovulation induction[tiab] OR assisted reproducti*[tiab] OR

incomplete[ti]) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat]) AND (Dutch[lang] OR English[lang])))

Vrg7 abdominale versus transvaginale echoscopie – augustus 2015 [34]

(transabdominal ultraso*[tiab] OR transvaginal ultraso*[tiab] OR transvaginal sonography[tiab] OR transabdominal sonography[tiab] OR ultrasonography, prenatal[mh] OR fetal death, ultrasonography[mh] OR (transvaginal[ti] AND transabdominal[ti])) AND (viable[tiab] OR nonviable[tiab] OR embryonic demise[tiab] OR ectopic[ti]) AND (accuracy[tiab] OR utility[tiab] OR sensitivity and specificity[mh] OR diagnostic criteria[tiab])

Vrg8 oorzaken contactbloedingen – augustus 2015 [43]

(pregnancy trimester, first[mh] OR early pregnancy[tiab]) AND (bleeding[tiab] OR hemorrhage/etiology[mh]) AND (cause[tiab] OR etiology[tw] OR assessment[tiab] OR investigation[tiab]) AND (speculum[tiab] OR cervical smear[tiab] OR diagnos*[tiab] OR ectropion[tiab] OR polyp[tiab] OR polyps[tiab] OR STD[tiab] OR sexually transmitted[tiab] OR cervical pathology[tiab])

Vrg9 waarde EUG test – september 2015 [23]

("pregnancy, ectopic"[mh] OR ectopic pregnancy[tiab]) AND (pregnancy test*[tiab] OR urinary test*[tiab] OR urinary screening[tiab] OR urine[tiab] OR pregnancy tests[mh]) AND (predictive value[tw] OR specificity[tiab] OR sensitivity and specificity[mh]) NOT (animals[mh] NOT (animals[mh] AND humans[mh]))

Vrg10 afwachtend beleid – februari 2016 [13]

("Abortion, Spontaneous"[majr] OR miscarriage[tiab] OR early pregnancy loss[tiab]) AND expectant management[tiab] NOT (intrauterine device*[tiab] OR intrauterine contraceptive device*[tiab] OR IUD[tiab] OR IVF[tiab] OR ovarian stimulation[tiab] OR intrauterine insemination[tiab] OR ovulation induction[tiab] OR assisted reproducti*[tiab])

Vrg11 hoeveelheid bloedverlies – februari 2016 [34]

(abortion, spontaneous[mj] OR miscarriage[all fields]) AND (vaginal bleeding[tiab] OR bleeding episodes[tiab] OR heavy bleeding[tiab]) AND (pregnancy trimester, first[mj] OR first-trimester[tiab]) AND (association[tiab] OR relation[tiab] OR risk[all fields] OR symptom*[tiab])

Eindsearch – februari 2016

("Abortion, Spontaneous"[majr] OR miscarriage[tiab] OR early pregnancy loss[tiab]) AND (randomized controlled trial[pt] OR randomized[tiab] OR randomised[tiab] OR RCT[tiab] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR meta-anal*[tiab] OR systematic[sb] OR systematic review[tiab] OR guideline[pt] OR practice guideline[pt] OR guideline*[tiab]) NOT (intrauterine device*[tiab] OR intrauterine contraceptive device*[tiab] OR IUD[tiab] OR IVF[tiab] OR ovarian stimulation[tiab] OR intrauterine insemination[tiab] OR ovulation induction[tiab] OR assisted reproducti*[tiab])