

SPECIFIEKE ZOEKSTRATEGIE NHG-STANDAARD MICTIEKLACHTEN BIJ MANNEN (M42)

Oriënterende searches, april 2010

("Prostatic Hyperplasia"[Mesh] OR "Urination Disorders"[Mesh]) AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR (quantitativ* AND review*[tw] OR systematic* AND review*[tw] OR methodologic* AND review*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw])) NOT (letter[pt] OR comment[pt] OR editorial[pt]))

("Prostatic Hyperplasia"[Mesh] OR "Urination Disorders"[Mesh]) AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti]))

("Prostatic Hyperplasia"[Mesh] OR "Urination Disorders"[Mesh]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw])

("Prostatic Hyperplasia"[Mesh] OR "Urination Disorders"[Mesh]) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti])

("Prostatic Hyperplasia"[Mesh] OR "Urination Disorders"[Mesh]) AND (Ann Intern Med[Journal] OR Arch Intern Med[Journal] OR BMJ[Journal] OR Br J Gen Pract[Journal] OR Eur J Gen Pract[Journal] OR Fam Pract[Journal] OR J Fam Pract[Journal] OR JAMA[Journal] OR Lancet[Journal] OR N Engl J Med[Journal] OR Ned Tijdschr Geneesk[Journal] OR Qual Saf Health Care[Journal] OR Scand J Prim Health Care[Journal])

Specifieke searches, december 2010 – september 2011

("Prostatic Hyperplasia"[MeSH] OR "benign prostatic hyperplasia"[tiab] OR BPH[tiab] OR "lower urinary tract symptoms"[tiab] OR LUTS[tiab]) AND ("natural course"[tw] OR "natural history"[tw] OR placebos[mh] OR (course[tiab] AND time[tiab])))

("Prostatic Hyperplasia"[majr] OR "Urination Disorders"[majr] OR BPH[tiab] OR LUTS[tiab] OR "lower urinary tract symptoms"[tiab]) AND (cohort studies[mh] OR risk[mh] OR (odds[tw] AND ratio*[tw]) OR (relative[tw] AND risk[tw]) OR (case[tw] AND control[tw]) OR case-control studies[mh]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw]))

("Prostatic Hyperplasia"[majr] OR "Urination Disorders"[majr] OR BPH[tiab] OR LUTS[tiab] OR "lower urinary tract symptoms"[tiab]) AND (cohort studies[mh] OR risk[mh] OR (odds[tw] AND ratio*[tw]) OR (relative[tw] AND risk[tw]) OR (case[tw] AND control[tw]) OR case-control studies[mh]))

("Prostatic Hyperplasia"[MeSH] OR "benign prostatic hyperplasia"[tiab] OR BPH[tiab] OR "lower urinary tract symptoms"[tiab] OR LUTS[tiab]) AND ("risk factor"[tiab] OR "risk factors"[tiab])

("Prostatic Hyperplasia"[majr] OR "Urination Disorders"[majr] OR BPH[tiab] OR LUTS[tiab] OR "lower urinary tract symptoms"[tiab]) AND (pathophysiology[tiab] OR physiopathology[tiab])

("Prostatic Hyperplasia"[MeSH] OR "benign prostatic hyperplasia"[tiab] OR BPH[tiab] OR "lower urinary tract symptoms"[tiab] OR LUTS[tiab]) AND ("stress, psychological"[mh] OR psychology[sh] OR shame[tiab] OR impotence[tiab] OR fear[tiab])

("microscopic hematuria"[tiab] OR "microscopic haematuria"[tiab] OR "non-visible hematuria"[tiab] OR "non-visible haematuria"[tiab] OR ("hematuria/diagnosis"[mh] AND "microscopy"[mh])) AND ("lower urinary tract"[tiab] OR "prostatic hyperplasia"[tiab] OR "primary care"[tiab] OR "primary health care"[mh])

("Prostatic Hyperplasia"[MeSH] OR "benign prostatic hyperplasia"[tiab] OR BPH[tiab] OR "lower urinary tract symptoms"[tiab] OR LUTS[tiab]) AND (pelvic[tiab] AND (exercise[tw] OR training[tiab] OR muscle[tiab]))

("Prostatic Hyperplasia"[MeSH] OR "benign prostatic hyperplasia"[tiab] OR BPH[tiab] OR "lower urinary tract symptoms"[tiab] OR LUTS[tiab]) AND ("adrenergic alpha-antagonists"[mh] OR "adrenergic alpha-antagonists"[pharmacological action]) AND ("time factors"[mh] OR time[tiab] OR duration[tiab])

("Prostatic Hyperplasia"[MeSH] OR "benign prostatic hyperplasia"[tiab] OR BPH[tiab] OR "lower urinary tract symptoms"[tiab] OR LUTS[tiab]) AND ("adrenergic alpha-antagonists"[mh] OR "adrenergic alpha-antagonists"[pharmacological action])

("Prostatic Hyperplasia"[MeSH] OR "benign prostatic hyperplasia"[tiab] OR BPH[tiab] OR "lower urinary tract symptoms"[tiab] OR LUTS[tiab]) AND "5-alpha reductase inhibitors"[mh]

("Prostatic Hyperplasia"[MeSH] OR "benign prostatic hyperplasia"[tiab] OR BPH[tiab] OR "lower urinary tract symptoms"[tiab] OR LUTS[tiab]) AND ("cholinergic antagonists"[mh] OR "cholinergic antagonists"[pharmacological action])

("Prostatic Hyperplasia"[MeSH] OR "benign prostatic hyperplasia"[tiab] OR BPH[tiab] OR "lower urinary tract symptoms"[tiab] OR LUTS[tiab] OR "overactive bladder"[tiab]) AND ("5-alpha reductase inhibitors"[mh] AND "adrenergic alpha-antagonists"[mh])

("Prostatic Hyperplasia"[MeSH] OR "benign prostatic hyperplasia"[tiab] OR BPH[tiab] OR "lower urinary tract symptoms"[tiab] OR LUTS[tiab] OR "overactive bladder"[tiab]) AND ("cholinergic antagonists"[mh] AND "adrenergic alpha-antagonists"[mh])

"Prostatic Neoplasms"[Majr] AND ("Prostate-Specific Antigen"[Majr] OR "prostate-specific antigen (154-163) "[Substance] OR "prostate-specific antigen (146-154) "[Substance]) AND ("free/total"[tiab] OR "free PSA"[tiab] OR "total PSA"[tiab] OR "PSA doubling"[tiab] OR "PSA ratio"[tiab] OR "PSA density"[tiab]) AND ("sensitivity and specificity"[mh] OR "predictive value of tests"[mh] OR "predictive factor"[tiab])

"Prostatic Neoplasms/diagnosis"[Majr] AND "Prostate-Specific Antigen/blood"[Majr] AND ("free/total"[tiab] OR "free PSA"[tiab] OR "total PSA"[tiab] OR "PSA doubling"[tiab] OR "PSA ratio"[tiab] OR "PSA density"[tiab]) AND ("sensitivity and specificity"[mh] OR "predictive value of tests"[mh] OR "predictive factor"[tiab])

("Prostatic Neoplasms"[mh] OR "prostate carcinoma"[tiab] OR "prostate cancer"[tiab]) AND ("5-alpha reductase inhibitors"[mh] OR "5-alpha reductase"[tiab]) AND (randomised[tw] OR randomized[tw] OR "randomized controlled trial"[pt] OR cochrane[tw])

("Prostatic Neoplasms"[mh] OR "prostate carcinoma"[tiab] OR "prostate cancer"[tiab]) AND ("5-alpha reductase inhibitors"[mh] OR "5-alpha reductase"[tiab])

((("Urinary Retention"[Mesh] OR "urinary retention"[tiab] OR "urine retention"[tiab]) AND acute[tiab]) AND ("Adrenergic alpha-Antagonists"[Mesh] OR "alpha blocker"[tiab] OR "alpha blockers"[tiab] OR "Adrenergic alpha-Antagonists "[Pharmacological Action]))

((("urinary retention"[mh] AND acute[tiab]) OR "acute urinary retention"[tiab]) AND catheter*[tiab] AND (time[tiab] OR duration[tiab] OR "time factors"[mh]))

(BPH[tiab] OR LUTS[tiab] OR "lower urinary tract symptoms"[tiab] OR "benign prostatic hyperplasia"[tiab]) AND ("work productivity"[tiab] OR "efficiency, organizational"[mh] OR "Sick Leave"[Mesh] OR "Rehabilitation, Vocational"[Mesh] OR "Occupational Health"[Mesh] OR "Absenteeism"[Mesh] OR "employed men"[tiab])

("serum creatinine"[tiab] OR SCr[tiab] OR MDRD[tiab] OR GFR[tiab] OR "glomerular filtration rate"[tiab]) AND (BPH[tiab] OR LUTS[tiab] OR "lower urinary tract symptoms"[tiab] OR "benign prostatic hyperplasia"[tiab])

(BPH[tiab] OR LUTS[tiab] OR "lower urinary tract symptoms"[tiab] OR "benign prostatic hyperplasia"[tiab]) AND (lifestyle[tiab] OR "life style"[mh] OR diet[mh] OR coffee[tiab] OR alcohol[tiab] OR drinking[tiab]) NOT women[tiab]

(BPH[tiab] OR LUTS[tiab] OR "lower urinary tract symptoms"[tiab] OR "benign prostatic hyperplasia"[tiab]) AND (self-catheterisation[tiab] OR self-catheterization[tiab] OR "self catheterisation"[tiab] OR "self catheterization"[tiab])

((((hydronephrosis[MeSH Terms])) OR ("urinary retention"[MeSH Terms])) AND ((BPH[tiab] OR LUTS[tiab] OR "lower urinary tract symptoms"[tiab] OR "benign prostatic hyperplasia"[tiab]) AND ("ultrasonography"[Subheading] OR "ultrasonography"[MeSH Terms] OR "ultrasonics"[MeSH Terms] OR ultrasound[Text Word])))

(BPH[tiab] OR LUTS[tiab] OR "lower urinary tract symptoms"[tiab] OR "benign prostatic hyperplasia"[tiab]) AND ("ultrasonography"[Subheading] OR "ultrasonography"[MeSH Terms] OR "ultrasonics"[MeSH Terms] OR ultrasound[Text Word]))

(((((("Communication"[Mesh])) OR ("Health Education"[Mesh])) OR ("Decision Making, Computer-Assisted"[Mesh])) OR ("Patient Education as Topic"[Mesh])) OR ("Patient Participation"[Mesh]))) AND (((((("bothersome score))) OR ("Bother score))) OR (IPSS)) OR (international prostate symptom score)))

OR (((((Frequency volume charts)) OR (Frequency volume chart))) OR (((voiding diary)) OR (voiding diaries))) OR (((bladder diary)) OR (bladder diaries))) OR (((bladder charts)) OR (bladder chart))))

("Prostatic Hyperplasia"[MeSH] OR "benign prostatic hyperplasia"[tiab] OR BPH[tiab] OR "lower urinary tract symptoms"[tiab] OR LUTS[tiab]) AND (diary[tiab] OR "frequency volume chart"[tiab] OR "frequency volume charts"[tiab]))

("Hydronephrosis"[Mesh] OR "Renal Insufficiency"[Mesh] OR "renal impairment"[tw]) AND (residual[tiab] AND (volume[tiab] OR urine[tiab] OR urinary OR postvoid[tiab] OR post-void[tiab])) NOT dialysis[tw]

(BPH[tiab] OR LUTS[tiab] OR "lower urinary tract symptoms"[tiab] OR "benign prostatic hyperplasia"[tiab]) AND (((urinary retention"[MeSH]) OR (Retention, Urinary) OR ("Hydronephrosis"[Mesh] OR "Renal Insufficiency"[Mesh] OR "renal impairment"[tw]) AND (residual AND (volume OR urine OR urinary OR postvoid OR post-void)) NOT dialysis[tw])) AND ("ultrasonography"[Subheading] OR "ultrasonography"[MeSH Terms] OR "ultrasonics"[MeSH Terms] OR ultrasound[Text Word]))

(("lower urinary tract symptoms"[tiab] OR LUTS[tiab] OR "benign prostatic hyperplasia"[tw]) AND (treatment[tiab] OR "drug therapy"[sh])) AND (effect*[tiab] OR "treatment outcome"[mh] OR "voiding symptoms"[tiab]))

(("lower urinary tract symptoms"[tiab] OR LUTS[tiab] OR "benign prostatic hyperplasia"[tw]) AND treatment[tiab]) AND (voiding[tiab] OR complain*[tiab] OR urination[tiab] OR micturation[tiab]))

("lower urinary tract symptoms"[tiab] OR LUTS[tiab] OR "benign prostatic hyperplasia"[tw]) AND effect*[tiab] AND complaint*[tiab]

("Dysuria"[Mesh] OR "painful urination"[tiab] OR "painful micturation"[tiab]) AND ("Urinary Tract Infections"[Mesh] OR "lower urinary tract symptoms"[tiab]))

(BPH[tiab] OR LUTS[tiab] OR "lower urinary tract symptoms"[tiab] OR "benign prostatic hyperplasia"[tiab]) AND constipation[tw])

"Prostatic Neoplasms/diagnosis"[majr] AND "Prostate-Specific Antigen"[majr] AND "mass screening"[majr]