

ZOEKSTRATEGIE NHG-STANDAARD ACUTE KEELPIJN (M11)

[NB: het aantal gevonden titels per vraag staat vermeld tussen vierkante haken]

Oriënterende searches, december 2012

OS1 SR's [43]

("Tonsillitis"[MeSH] OR "Pharyngitis"[MeSH] OR "sore throat"[tw]) AND (acute[tiab] OR streptococcal[tiab]) AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR ("quantitative review"[tw] OR "systematic review"[tw] OR "methodologic review"[tw]) OR (review[pt] AND Cochrane[tw]) NOT (letter[pt] OR comment[pt] OR editorial[pt]))

OS2 richtlijnen [45]

("Tonsillitis"[MeSH] OR "Pharyngitis"[MeSH] OR "sore throat"[tw]) AND (acute[tiab] OR streptococcal[tiab]) AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti]))

OS3 eerstelijns [77]

("Tonsillitis"[MeSH] OR "Pharyngitis"[MeSH] OR "sore throat"[tw]) AND (acute[tiab] OR streptococcal[tiab]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

OS4 etniciteit [16]

("Tonsillitis"[MeSH] OR "Pharyngitis"[MeSH] OR "sore throat"[tw]) AND (acute[tiab] OR streptococcal[tiab]) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti])

OS5 arbeid [4]

("Tonsillitis"[MeSH] OR "Pharyngitis"[MeSH] OR "sore throat"[tw]) AND (acute[tiab] OR streptococcal[tiab]) AND ("Sick Leave"[Mesh] OR "Rehabilitation, Vocational"[Mesh] OR "Occupational Health"[Mesh] OR "Absenteeism"[Mesh])

OS7 sekse [22]

("Tonsillitis"[MeSH] OR "Pharyngitis"[MeSH] OR "sore throat"[tw]) AND (acute[tiab] OR streptococcal[tiab]) AND ("sex factors"[mh] OR gender*[tw])

OS8 spoed [32]

("Tonsillitis"[MeSH] OR "Pharyngitis"[MeSH] OR "sore throat"[tw]) AND (acute[tiab] OR streptococcal[tiab]) AND ("emergency treatment"[mh] OR "emergency medical services"[mh] OR "first aid"[mh] OR "emergency service, hospital"[mh] OR triage[mh] OR "emergency room"[tw] OR ER[tw])

OS9 patiëntenperspectief [13]

("Tonsillitis"[MeSH] OR "Pharyngitis"[MeSH] OR "sore throat"[tw]) AND (acute[tiab] OR streptococcal[tiab]) AND ("patient participation"[mh] OR "patient satisfaction"[mh] OR "patient preference"[mh] OR "patient perspective"[tw])

Specifieke searches, augustus – december 2013

Vrg1 voorspellende criteria [146]

(streptococcal pharyngitis[tiab] OR streptococcal throat[tiab] OR bacterial pharyngitis[tiab] OR tonsillitis[majr] OR sore throat[majr]) AND ("signs and symptoms"[tiab] OR medical history taking[tw] OR predict*[tiab] OR Centor score*[tiab] OR Mclsaac score*[tiab] OR clinical score*[tiab] OR validation[tiab])

Vrg2 onderliggende oorzaken candida [39]

((Pharyngitis[TIAB] OR Laryngitis[TIAB] OR Tonsillitis[TIAB] OR pharyngolaryngitis OR "sore throat"[TIAB]) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat]))) OR (("Pharyngitis"[Mesh] OR "Laryngitis"[Mesh] OR "Tonsillitis"[Mesh] AND (((("Candida"[Mesh] OR "Candidiasis, Oral"[Mesh] OR candida[tiab] OR Candidiasis[TIAB]) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat]))))) AND (english[la] OR dutch[la] OR french[la] OR german[la])

Vrg3 testen [114]

((("Pharyngitis"[Mesh] OR "Laryngitis"[Mesh] OR "Tonsillitis"[Mesh] OR "Tonsillitis"[MeSH] OR Pharyngitis[TIAB] OR Laryngitis[TIAB] OR Tonsillitis[TIAB] OR "sore throat"[TIAB]) AND (english[la] OR dutch[la] OR french[la] OR german[la]) AND ("C-Reactive Protein/analysis"[MeSH Terms] OR "C reactive protein"[tiab] OR "C-reactive protein"[tiab] OR CRP[tiab] OR "C reactive proteins"[tiab] OR "C-reactive proteins"[tiab] OR CRP[tiab] OR "Antigens, Bacterial"[nm] OR "Streptococcal Infections/microbiology"[MAJR] OR "strep test"[tiab] OR "rapid-antigen detection"[tiab] OR RADT[tiab] OR "rapid streptococcal antigen"[tiab])) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw]) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat]))) OR ((("Pharyngitis"[Mesh] OR "Laryngitis"[Mesh] OR "Tonsillitis"[Mesh] OR "Tonsillitis"[MeSH] OR Pharyngitis[TIAB] OR Laryngitis[TIAB] OR Tonsillitis[TIAB] OR "sore throat"[TIAB]) AND (english[la] OR dutch[la] OR french[la] OR german[la]) AND ("C-Reactive Protein/analysis"[MeSH Terms] OR "C reactive protein"[tiab] OR "C-reactive protein"[tiab] OR CRP[tiab] OR "C reactive proteins"[tiab] OR "C-reactive proteins"[tiab] OR CRP[tiab] OR "Antigens, Bacterial"[nm] OR "Streptococcal Infections/microbiology"[MAJR] OR "strep test"[tiab] OR "rapid-antigen detection"[tiab] OR RADT[tiab] OR "rapid streptococcal antigen"[tiab])) AND (effective*[tiab] OR value[tiab] OR predict*[tiab] OR significance[tiab] OR useful*[tiab]) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))) OR (((("Sensitivity and Specificity"[Mesh] OR "Diagnostic Errors"[Mesh] OR Sensitivity[TI] OR Specificity[TI] OR false*[TI] OR validity[tiab]) AND ((("Pharyngitis"[Mesh] OR "Laryngitis"[Mesh] OR "Tonsillitis"[Mesh] OR "Tonsillitis"[MeSH] OR Pharyngitis[TIAB] OR Laryngitis[TIAB] OR Tonsillitis[TIAB] OR "sore throat"[TIAB]) AND (english[la] OR dutch[la] OR french[la] OR german[la]) AND ("C-Reactive Protein/analysis"[MeSH Terms] OR "C reactive protein"[tiab] OR "C-reactive protein"[tiab] OR CRP[tiab] OR "C reactive proteins"[tiab] OR "C-reactive proteins"[tiab] OR CRP[tiab] OR "Antigens, Bacterial"[nm] OR "Streptococcal Infections/microbiology"[MAJR] OR "strep test"[tiab] OR "rapid-antigen detection"[tiab] OR

RADT[tiab] OR "rapid streptococcal antigen"[tiab]) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat]))

Vrg4 antibiotica [965]

(("Anti-Bacterial Agents"[Mesh] OR "Anti-Bacterial Agents"[Pharmacological Action]) OR (Penicillin*[tiab] OR amoxicil*[tiab] OR quinolon*[tiab] OR macrolid*[tiab] OR cephalosporin*[tiab] OR fluoroquinolon*[tiab] OR "beta-lactam antibiotics"[tiab])) AND (("Pharyngitis"[Mesh] OR "Laryngitis"[Mesh] OR "Tonsillitis"[Mesh] OR "Tonsillitis"[MeSH] OR Pharyngitis[TIAB] OR Laryngitis[TIAB] OR Tonsillitis[TIAB] OR "sore throat"[TIAB]) AND (english[la] OR dutch[la] OR french[la] OR german[la]) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat]))

Vrg5 beleid bij abces [114]

(((((("peritonsillar abscess"[tiab] OR "peritonsillar cellulitis"[tiab] OR quinsy[tiab])) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) OR ("Peritonsillar Abscess"[Mesh])) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw]) AND (english[la] OR dutch[la] OR french[la] OR german[la])) OR ((peritonsillar abscess/diagnosis[mh] OR peritonsillar abscess[majr] OR peritonsillar abscess[tiab] OR peritonsillar cellulitis[tiab] OR quinsy[tiab]) AND (diagnosis, differential[mh] OR predictor*[tiab] OR presentation[tiab] OR differential[tiab] OR differentiat*[tiab] OR recogni*[tiab] OR implicat*[tiab]) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) OR ((((((("peritonsillar abscess"[tiab] OR "peritonsillar cellulitis"[tiab] OR quinsy[tiab])) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) OR ("Peritonsillar Abscess"[Mesh])) AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR (quantitativ* AND review*[tw] OR systematic* AND review*[tw] OR methodologic* AND review*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw])) NOT (letter[pt] OR comment[pt] OR editorial[pt])) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) OR ((((((("peritonsillar abscess"[tiab] OR "peritonsillar cellulitis"[tiab] OR quinsy[tiab])) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) OR ("Peritonsillar Abscess"[Mesh])) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) AND ((randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw]) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat]))

Vrg5 beleid bij abces (andere termen) [50]

(("peritonsillar abscess"[tiab] OR "peritonsillar cellulitis"[tiab] OR peritonsillar swelling[tiab] OR quinsy[tiab]) AND (antibacterial agents[tiab] OR anti-bacterial agents[tiab] OR anti-bacterial agents/therapeutic use[mh]) AND ("2004/01/01"[PDat] : "3000/12/31"[PDat]) AND ((English[lang] OR Dutch[lang])) NOT ((((((("peritonsillar abscess"[tiab] OR "peritonsillar cellulitis"[tiab] OR peritonsillar swelling[tiab] OR quinsy[tiab])) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) OR ("Peritonsillar Abscess"[Mesh])) AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR (quantitativ* AND review*[tw] OR systematic* AND review*[tw] OR methodologic* AND review*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw])) NOT (letter[pt] OR comment[pt] OR editorial[pt])) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) OR ((((((("peritonsillar abscess"[tiab] OR "peritonsillar cellulitis"[tiab] OR peritonsillar swelling[tiab] OR quinsy[tiab])) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) OR ("Peritonsillar Abscess"[Mesh])) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) AND ((randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw]) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat])) AND (("2004/01/01"[PDat] : "3000/12/31"[PDat]))

Vrg6 post-tonsillectomie [38]

post-tonsillectomy[tiab] AND ("Pharyngitis"[Majr] OR "Tonsillitis"[Majr] OR pharyngitis[tiab] OR tonsillitis[tiab] OR "sore throat"[tiab])

Extra vrgA flurbiprofen [7]

((("Flurbiprofen"[Mesh] OR flurbiprofen[tiab]) AND (oral[tiab] OR lozenge*[tiab] OR tablet*[tiab] OR administration and dosage[sh])) AND ("Comparative Study"[Publication Type] OR "Clinical Trials, Phase III as Topic"[Mesh] OR comparison[tiab] OR compare*[tiab] OR versus[tiab]) AND (throat[tiab] OR respiratory tract[tiab] OR pharyngitis[tw]))

Extra vrgB epiglottitis 12]

(epiglottitis[mh] OR epiglottitis[tiab]) AND (examination[tiab] OR examine[tiab] OR methods[sh] OR complications[sh] OR airway obstruction[tiab]) AND (spatula[tiab] OR swelling[tiab] OR swollen[tiab] OR spasm*[tiab])

Eindsearch, november 2014

Nieuwe artikelen sinds vorige search [155]

((Pharyngitis[mh] OR Laryngitis[mh] OR Tonsillitis[mh] OR Pharyngitis[tiab] OR Laryngitis[tiab] OR Tonsillitis[TIAB] OR sore throat[tiab] OR epiglottitis[mh] OR epiglottitis[tiab] OR peritonsillar abcess[tiab] OR peritonsillar cellulitis[tiab] OR quinsy[tiab]) AND (english[la] OR dutch[la] OR french[la] OR german[la]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR meta-anal*[tiab] OR systematic[sb] OR systematic review[tiab] OR guideline[pt] OR practice guideline[pt] OR guideline*[tiab]) NOT post-operative[tiab] AND (("2013/12/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang]))) NOT (((Pharyngitis[mh] OR Laryngitis[mh] OR Tonsillitis[mh] OR Pharyngitis[tiab] OR Laryngitis[tiab] OR Tonsillitis[TIAB] OR sore throat[tiab]) AND acute[tiab]) OR epiglottitis[mh] OR epiglottitis[tiab] OR peritonsillar abcess[tiab] OR peritonsillar cellulitis[tiab] OR quinsy[tiab]) AND (english[la] OR dutch[la] OR french[la] OR german[la]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR meta-anal*[tiab] OR systematic[sb] OR systematic review[tiab] OR guideline[pt] OR practice guideline[pt] OR guideline*[tiab]) AND (("2013/12/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang])))

Nieuwe artikelen sinds vorige search (beperkt tot acute fase) [28]

((Pharyngitis[mh] OR Laryngitis[mh] OR Tonsillitis[mh] OR Pharyngitis[tiab] OR Laryngitis[tiab] OR Tonsillitis[TIAB] OR sore throat[tiab]) AND acute[tiab]) OR epiglottitis[mh] OR epiglottitis[tiab] OR peritonsillar abcess[tiab] OR peritonsillar cellulitis[tiab] OR quinsy[tiab]) AND (english[la] OR dutch[la] OR french[la] OR german[la]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR meta-anal*[tiab] OR systematic[sb] OR systematic review[tiab] OR guideline[pt] OR practice guideline[pt] OR guideline*[tiab])