

SPECIFIEKE ZOEKSTRATEGIE NHG-STANDAARD ANGST & UPDATE 2019 (SSRI's)

Oriënterende searches, 22/1/2009

("2004"[Publication Date] : "2010"[Publication Date]) AND ("Anxiety Disorders"[Mesh] AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR (quantitativ* AND review*[tw] OR systematic* AND review*[tw] OR methodologic* AND review*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw]))) NOT (letter[pt] OR comment[pt] OR editorial[pt])))

("2004"[Publication Date] : "2010"[Publication Date]) AND "Anxiety Disorders"[Mesh] AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti]))

("2004"[Publication Date] : "2010"[Publication Date]) AND "Anxiety Disorders"[Mesh] AND "family practice"[mh]

("2004"[Publication Date] : "2010"[Publication Date]) AND "Anxiety Disorders"[Mesh] AND ((ethnic groups[MeSH] OR minority groups[MeSH] OR Africa, northern[MeSH] OR Middle East[MeSH] OR West Indies[MeSH] OR Asia, southeastern[MeSH] OR Surinam*[tw] OR Antillean*[tw] OR Suriname/ethnology[MeSH] OR Netherlands Antilles/ethnology[MeSH] OR Turkey/ethnology[MeSH] OR Morocco/ethnology[MeSH] OR Blacks[MeSH] OR African Continental Ancestry Group[mh]) AND (cross-cultural[tw] OR foreign-born[tw] OR cross-ethnic[tw] OR cultural diversity[MeSH] OR emigration and immigration[MeSH] OR immigrants[tw] OR comparative study[pt]))

("2004"[Publication Date] : "2010"[Publication Date]) AND "Anxiety Disorders"[Mesh] AND ("Sick Leave"[Mesh] OR "Rehabilitation, Vocational"[Mesh] OR "Occupational Health"[Mesh] OR "Absenteeism"[Mesh])

("2004"[Publication Date] : "2010"[Publication Date]) AND "Anxiety Disorders"[Mesh] AND (Ann Intern Med[Journal] OR Arch Intern Med[Journal] OR BMJ[Journal] OR Br J Gen Pract[Journal] OR Eur J Gen Pract[Journal] OR Fam Pract[Journal] OR J Fam Pract[Journal] OR JAMA[Journal] OR Lancet[Journal] OR N Engl J Med[Journal] OR Ned Tijdschr Geneeskd[Journal] OR Qual Saf Health Care[Journal] OR Scand J Prim Health Care[Journal])

("2004"[Publication Date] : "2010"[Publication Date]) AND "Anxiety Disorders"[Mesh] AND (Ann Intern Med[Journal] OR Arch Intern Med[Journal] OR BMJ[Journal] OR Br J Gen Pract[Journal] OR Eur J Gen Pract[Journal] OR Fam Pract[Journal] OR J Fam Pract[Journal] OR JAMA[Journal] OR Lancet[Journal] OR N Engl J Med[Journal] OR Ned Tijdschr Geneeskd[Journal] OR Qual Saf Health Care[Journal] OR Scand J Prim Health Care[Journal])

("2004"[Publication Date] : "2010"[Publication Date]) AND "Anxiety Disorders"[Mesh] AND (sex factors[majr] OR "gender differences"[tw])

Specifieke searches, 23/10/2009 – 9/6/2011

("2003"[Publication Date] : "3000"[Publication Date]) AND (("anxiety disorders/etiology"[majr] OR "stress disorders, post-traumatic/etiology"[mh]) AND ("early life experiences"[tw] OR "life change

events[mh] OR "family history"[tw] OR "patient history"[tw] OR neglect[tw] OR abuse[tw] OR "lifetime trauma"[tw]) AND (questionnaires[mh] OR predictor*[tw] OR predictive[tw]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ("Panic Disorder"[Majr] AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos*[tw] OR predict*[tw] OR course[tw]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ("agoraphobia"[Majr] AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos*[tw] OR predict*[tw] OR course[tw]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ("phobic disorders"[Majr] AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos*[tw] OR predict*[tw] OR course[tw]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ("obsessive-compulsive disorder"[Majr] AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos*[tw] OR predict*[tw] OR course[tw]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ("stress disorders, post-traumatic"[Majr] AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos*[tw] OR predict*[tw] OR course[tw]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ("hypochondriasis"[Majr] AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos*[tw] OR predict*[tw] OR course[tw]))

("2003"[Publication Date] : "3000"[Publication Date]) AND (("generalized anxiety disorder"[tw] OR "generalised anxiety disorder"[tw]) AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos*[tw] OR predict*[tw] OR course[tw]))

"anxiety disorders/etiology"[mh] AND (character[mh] OR "personality traits"[tw] OR "personality factor*"[tw] OR "personal characteristics"[tw])

("2003"[Publication Date]) AND ((course[tw] OR prognosis[mh]) AND "Anxiety Disorders"[Majr])

("2003"[PDAT] : "3000"[PDAT]) AND ("anxiety disorders"[majr] AND ("Ethnology"[Majr] OR "ethnology"[Subheading] OR "Ethnic Groups"[Majr] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti])) AND (hasabstract[text] AND "humans"[MeSH Terms] AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang])) NOT child[mh]

("2003"[Publication Date] : "3000"[Publication Date]) AND "Anxiety Disorders"[Majr] AND ("daily functioning"[tw] OR "daily living"[tw])

("2003"[Publication Date] : "3000"[Publication Date]) AND (("four-dimensional symptom questionnaire"[tw] OR 4DSQ[tw] OR "hospital anxiety and depression scale"[tw] OR HADS[tw] OR

GAD-7[tw] OR "psychiatric status rating scales"[mh]) AND "anxiety disorders"[mh] AND ("primary health care"[mh] OR "family practice"[mh]) AND (sensitivity and specificity[mh] OR sensitivity[tw] OR diagnosis[sh] OR diagnostic use[sh] OR specificity[tw]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ((EMDR[tw] OR "eye movements"[mh]) AND "Anxiety Disorders"[mh])

("2003"[Publication Date] : "3000"[Publication Date]) AND ((self-help[tw] OR "self care"[mh]) AND "Anxiety Disorders"[mh])

("2003"[Publication Date] : "3000"[Publication Date]) AND ((mindfulness[tw] OR "mindfulness-based"[tw] OR "cognitive therapy"[mh] OR "psychotherapy, rational-emotive"[mh]) AND "anxiety disorders"[mh] AND (effectiveness[tw] OR "treatment outcome"[mh])) AND (recent[tw] OR new[tw] OR current[tw])

("2003"[Publication Date] : "3000"[Publication Date]) AND ((mindfulness[tw] OR "mindfulness-based"[tw] OR "cognitive therapy"[mh] OR "psychotherapy, rational-emotive"[mh]) AND "anxiety disorders"[mh] AND (effectiveness[tw] OR "treatment outcome"[mh]) AND ("ethnic groups"[mh] OR "minority groups"[mh] OR elderly[mh] OR aged[mh] OR "mentally disabled persons"[mh]))

"Antidepressive Agents/administration and dosage"[Mesh] AND "Anxiety Disorders/drug therapy"[Mesh] AND ("time factors"[mh] OR "duration"[tw] OR optimal[tw] OR optimum[tw])

"Antidepressive Agents"[Mesh] AND "Anxiety Disorders/drug therapy"[Mesh] AND ("time factors"[mh] OR "duration"[tw] OR optimal[tw] OR optimum[tw]) AND (hasabstract[text] AND Humans[Mesh] AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND adult[MeSH])

("2003"[Publication Date] : "3000"[Publication Date]) AND ("Antidepressive Agents, second generation"[Mesh] AND "Anxiety Disorders"[Mesh] AND (hasabstract[text] AND Humans[Mesh] AND ((double[tw] AND blind*[tw]) OR placebo[tw]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND adult[MeSH]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ("Antidepressive Agents, tricyclic"[Mesh] AND "Anxiety Disorders"[Mesh] AND (hasabstract[text] AND Humans[Mesh] AND ((double[tw] AND blind*[tw]) OR placebo[tw]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND adult[MeSH]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ("serotonin uptake inhibitors"[Mesh] AND "Anxiety Disorders"[Mesh]) AND (hasabstract[text] AND Humans[Mesh]) AND ((double[tw] AND blind*[tw]) OR placebo[tw]) AND ((English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND adult[MeSH])

("2003"[Publication Date] : "3000"[Publication Date]) AND ("buspirone"[tw] AND "Anxiety Disorders"[Mesh] AND (hasabstract[text] AND Humans[Mesh] AND ((double[tw] AND blind*[tw]) OR placebo[tw]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND adult[MeSH]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ("benzodiazepines"[mh] AND "Anxiety Disorders"[Mesh] AND (hasabstract[text] AND Humans[Mesh] AND ((double[tw] AND blind*[tw]) OR placebo[tw]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND adult[MeSH]))

("2003"[Publication Date] : "3000"[Publication Date]) AND (("serotonin uptake inhibitors"[Mesh] AND "Anxiety Disorders/drug therapy"[Mesh]) OR ("anxiety disorders/therapy"[mh] AND (psychotherapy[mh] OR "combined modality therapy"[mh] OR "cognitive therapy"[mh])) AND "comparative study"[pt]) AND (hasabstract[text] AND Humans[Mesh]) AND ((double[tw] AND blind*[tw]) OR placebo[tw]) AND ((English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND adult[MeSH])

("2003"[Publication Date] : "3000"[Publication Date]) AND ("Anxiety Disorders/therapy"[majr] AND ("antidepressive agents/therapeutic use"[majr] OR "anti-anxiety agents/therapeutic use"[majr]) AND psychotherapy[mh] AND "cognitive therapy"[mh]) AND (hasabstract[text] AND Humans[Mesh]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang])

("2003"[Publication Date] : "3000"[Publication Date]) AND ("adrenergic beta-antagonists"[mh] AND "Anxiety Disorders"[Mesh] AND (hasabstract[text] AND Humans[Mesh] AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND adult[MeSH]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ((relapse[tiab] OR recurrent[tiab] OR recurrence[tiab]) AND "Anxiety Disorders/therapy"[Mesh] AND (hasabstract[text] AND Humans[Mesh] AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND adult[MeSH]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ((persisting[tiab] OR persistent[tiab] OR persistence[tiab]) AND "Anxiety Disorders/therapy"[Mesh] AND (hasabstract[text] AND Humans[Mesh] AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND adult[MeSH]))

("2003"[Publication Date] : "3000"[Publication Date]) AND ("Mass Screening"[Mesh] AND "Anxiety Disorders"[Mesh] AND ("high risk"[tw] OR "high-risk"[tw]))

("2003"[Publication Date] : "3000"[Publication Date]) AND (("Eye movement desensitization reprocessing"[mh] OR EMDR[tw] OR "eye movements"[mh]) AND (anxiety[mh] OR "panic disorder" OR depersonalization[mh] OR "Anxiety Disorders"[mh]))

("Stress Disorders, Post-Traumatic/prevention and control"[Mesh] AND ("crisis intervention"[mh] OR debriefing[tiab]) AND ((English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND ("2002"[PDat] : "3000"[PDat]))) OR ("Stress Disorders, Post-Traumatic"[Mesh] AND ("crisis intervention"[mh] OR debriefing[tiab]) AND (effectiveness[tw] OR effectivity[tw] OR efficacy[tw] OR "treatment outcome"[mh] OR "outcome assessment"[tw]) AND ((English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND ("2002"[PDat] : "3000"[PDat])))

"Anxiety Disorders/ethnology"[mh] AND "Ethnic Groups"[mh] AND (presentation[tw] OR symptoms[tw] OR signs[tw])

("2003"[Publication Date] : "2010"[Publication Date]) AND "Anxiety Disorders"[majr] AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti]) AND (presentation[tw] OR "signs and symptoms"[mh] OR compared[tw] OR comparison[tw] OR "comparative study"[pt])

"Mentally Disabled Persons"[Mesh] AND ("Anxiety"[Mesh] OR "Anxiety Disorders"[Mesh])

"anxiety disorders"[Majr] AND alcoholism[majr] AND (comorbidity[mh] OR relationship[tiab] OR co-occurring[tiab])

("Anxiety Disorders"[Mesh] OR "anxiety disorder"[tiab] OR "anxiety disorders"[tiab]) AND ("Suicide"[Mesh] OR "Suicide, Attempted"[Mesh] OR "suicidal ideation"[tiab] OR "suicide attempt"[tiab] OR "suicide attempts"[tiab] OR "suicidal behavior"[tiab] OR "suicidal behaviour"[tiab]) AND (risk[tiab] OR relation*[tiab] OR association[tiab] OR co-morbidity[tiab] OR comorbidity[tiab])

("Anxiety Disorders/psychology"[mh] OR "anxiety disorders/epidemiology"[mh]) AND ("suicide/psychology"[mh] OR "suicide, attempted/psychology"[mh]) AND ("risk factors"[mh] OR risk[tiab] OR relation*[tiab] OR association[tiab] OR co-morbidity[tiab] OR comorbidity[tiab]) AND ("cross-sectional studies"[mh] OR "follow-up studies"[mh] OR "longitudinal studies"[mh] OR "comparative study"[pt] OR "research support, non-u.s. gov't"[pt])

("Anxiety Disorders"[Mesh] OR "anxiety disorder"[tiab] OR "anxiety disorders"[tiab]) AND ("Suicide"[Mesh] OR "Suicide, Attempted"[Mesh] OR "suicidal ideation"[tiab] OR "suicide attempt"[tiab] OR "suicide attempts"[tiab] OR "suicidal behavior"[tiab] OR "suicidal behaviour"[tiab]) AND (risk[tiab] OR relation*[tiab] OR association[tiab] OR co-morbidity[tiab] OR comorbidity[tiab]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

("Anxiety Disorders"[Mesh] OR "anxiety disorder"[tiab] OR "anxiety disorders"[tiab]) AND (dementia[mh] OR dementia[tiab] OR "cognitive impairment"[tiab] OR alzheimer*[tiab]) AND ("risk factors"[mh] OR risk[tiab] OR relation*[tiab] OR association[tiab] OR co-morbidity[tiab] OR comorbidity[tiab])

(anxiety disorders[mh] OR anxiety[tiab]) AND (mindfulness[tw] OR mindfulness-based[tiab]) AND (effective*[tiab] OR effic*[tiab])

ZOEKSTRATEGIE UPDATE 2019

Vraag 1A (AMC-AIOS) SSRI's & adolescent – oktober 2016 [173]

("Serotonin Uptake Inhibitors"[Mesh] OR serotonin and noradrenaline reuptake inhibitors[mh] OR "Serotonin Uptake Inhibitors"[Pharmacological Action] OR serotonin and noradrenaline reuptake inhibitors[pharmacological action] OR serotonin re-uptake inhibitors[tiab] OR serotonin reuptake inhibitors[tiab] OR SSRI*[tiab]) AND ("Depression"[Mesh] OR "Depressive Disorder"[Mesh] OR

depression[tiab] OR depressive[tiab]) AND (suicide[mh] OR suicide[tiab] OR suicidal*[tiab] OR ideation[tiab]) AND (young adult*[all fields] OR adolescent*[all fields]) NOT (child[ti] OR children[ti])

Vraag 1B SSRI's & adolescent verbreed, alleen nieuwe titels – januari 2018 [47]

((antidepressant*[ti] OR "Serotonin Uptake Inhibitors"[Mesh] OR serotonin and noradrenaline reuptake inhibitors[mh] OR "Serotonin Uptake Inhibitors"[Pharmacological Action] OR serotonin and noradrenaline reuptake inhibitors[pharmacological action] OR serotonin re-uptake inhibitors[tiab] OR serotonin reuptake inhibitors[tiab] OR SSRI*[tiab]) AND ("Depression"[Mesh] OR "Depressive Disorder"[Mesh] OR depression[tiab] OR depressive[tiab]) AND (suicide[mh] OR suicide[tiab] OR suicidal*[tiab] OR ideation[tiab]) AND (young adult*[all fields] OR adolescent*[all fields]) NOT (child[ti] OR children[ti])) NOT (("Serotonin Uptake Inhibitors"[Mesh] OR serotonin and noradrenaline reuptake inhibitors[mh] OR "Serotonin Uptake Inhibitors"[Pharmacological Action] OR serotonin and noradrenaline reuptake inhibitors[pharmacological action] OR serotonin re-uptake inhibitors[tiab] OR serotonin reuptake inhibitors[tiab] OR SSRI*[tiab]) AND ("Depression"[Mesh] OR "Depressive Disorder"[Mesh] OR depression[tiab] OR depressive[tiab]) AND (suicide[mh] OR suicide[tiab] OR suicidal*[tiab] OR ideation[tiab]) AND (young adult*[all fields] OR adolescent*[all fields]) NOT (child[ti] OR children[ti]) AND (hasabstract[text] AND ("2008/01/01"[PDat] : "3000/12/31"[PDat]) AND (English[lang] OR Dutch[lang])))

Vraag 2 SSRI's & agressie – juni 2017 [103]

(aggression/drug effects[mh] OR aggression[tiab] OR aggressive[tiab] OR violence[tiab] OR violent[tiab] OR anger[tiab] OR hostility[tiab] OR hostile[tiab]) AND (depression[all fields] OR depressive[all fields] OR anxiety[all fields]) AND (serotonin uptake inhibitors/adverse effects[mh] OR serotonin uptake inhibitor*[tiab] OR serotonin reuptake inhibitor*[tiab] OR selective serotonin[tiab] OR SSRI*[tiab] OR antidepressive agents/adverse effects[mj]) NOT (animals[mh] NOT humans[mh])

Vraag 3A SSRI's & suicide – juni 2017 [335]

(suicide[mj] OR suicide[tiab] OR suicides[tiab] OR suicidal[tiab] OR suicidality[tiab]) AND (depression[all fields] OR depressive[all fields] OR anxiety[all fields]) AND (serotonin uptake inhibitors/adverse effects[mh] OR serotonin uptake inhibitor*[tiab] OR serotonin reuptake inhibitor*[tiab] OR selective serotonin[tiab] OR SSRI*[tiab] OR antidepressive agents/adverse effects[mj]) NOT (animals[mh] NOT humans[mh]) NOT (child[mh] NOT adult[mh]) NOT teenagers[ti]

Vraag 3B SSRI's & suicide, beperkt tot adolescent – juni 2017 [124]

(suicide[mj] OR suicide[tiab] OR suicides[tiab] OR suicidal[tiab] OR suicidality[tiab]) AND (depression[all fields] OR depressive[all fields] OR anxiety[all fields]) AND (serotonin uptake inhibitors/adverse effects[mh] OR serotonin uptake inhibitor*[tiab] OR serotonin reuptake inhibitor*[tiab] OR selective serotonin[tiab] OR SSRI*[tiab] OR antidepressive agents/adverse effects[mj]) AND (young adult*[tiab] OR adolescent*[tiab]) NOT (animals[mh] NOT humans[mh])

Vraag 4 afbouw SSRI's – december 2017 [1285]

((discontinuation[tiab] OR withdrawal[tiab] OR tapering[tiab]) AND (serotonin uptake inhibitors/adverse effects[mh] OR serotonin uptake inhibitor*[tiab] OR serotonin reuptake

inhibitor*[tiab] OR selective serotonin[tiab] OR SSRI*[tiab] OR antidepressive agents/adverse effects[mh] OR antidepressant*[tiab]) AND (meta-analysis[pt] OR randomized controlled trial[pt] OR cohort studies[mh] OR meta-anal*[tiab] OR systematic[sb] OR randomized[tiab] OR randomised[tiab] OR RCT[tiab] OR cohort stud*[tiab] OR follow-up[tiab]) NOT (animals[mh] NOT humans[mh]) NOT (child[mh] NOT adult[mh]) NOT neonatal[ti]) OR ((discontinuation[tiab] OR withdrawal[tiab] OR tapering[tiab]) AND (serotonin uptake inhibitors/adverse effects[mh] OR serotonin uptake inhibitor*[tiab] OR serotonin reuptake inhibitor*[tiab] OR selective serotonin[tiab] OR SSRI*[tiab] OR antidepressive agents/adverse effects[mh] OR antidepressant*[tiab]) AND (meta-analysis[pt] OR randomized controlled trial[pt] OR cohort studies[mh] OR meta-anal*[tiab] OR systematic[sb] OR randomized[tiab] OR randomised[tiab] OR RCT[tiab] OR cohort stud*[tiab] OR follow-up[tiab]) NOT (animals[mh] NOT humans[mh]) NOT (child[mh] NOT adult[mh]) NOT neonatal[ti]) OR ((discontinuation symptom*[tiab] OR discontinuation syndrome[tiab] OR withdrawal symptom*[tiab] OR withdrawal syndrome[tiab] OR tapering[tiab] OR gradual discontinuation[tiab] OR rapid discontinuation[tiab]) AND (serotonin uptake inhibitors/adverse effects[mh] OR serotonin uptake inhibitor*[tiab] OR serotonin reuptake inhibitor*[tiab] OR selective serotonin[tiab] OR SSRI*[tiab] OR antidepressive agents/adverse effects[mh] OR antidepressant*[tiab]) NOT (animals[mh] NOT humans[mh]) NOT (child[mh] NOT adult[mh]) NOT neonatal[ti])